



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Hewlett-Packard Company
HP 9000 Model A500

SPECint_rate2000 = 9.31
SPECint_rate_base2000 = 8.97

SPEC license #: 3 Tested by: HP Richardson, TX Test date: Jan-2001 Hardware Avail: Nov-2000 Software Avail: Nov-2000

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	2	377	8.62	2	373	8.70
175.vpr	2	377	8.61	2	352	9.23
176.gcc	2	197	13.0	2	196	13.0
181.mcf	2	736	5.67	2	729	5.73
186.crafty	2	213	10.9	2	213	10.9
197.parser	2	512	8.16	2	509	8.20
252.eon	2	344	8.77	2	311	9.71
253.perlbnk	2	457	9.14	2	421	9.91
254.gap	2	499	5.12	2	499	5.12
255.vortex	2	251	17.6	2	240	18.3
256.bzip2	2	468	7.44	2	423	8.23
300.twolf	2	670	10.4	2	649	10.7

Hardware

CPU: 550 MHz PA-8600
CPU MHz: 550
FPU: Integrated
CPU(s) enabled: 2 cores, 2 chips, 1 core/chip
CPU(s) orderable: 1-2
Parallel: No
Primary Cache: 512KBI+1MBD (on chip)
Secondary Cache: none
L3 Cache: none
Other Cache: None
Memory: 4GB
Disk Subsystem: 2x18 GB 10000RPM
Other Hardware: --

Software

Operating System: HP-UX B.11.0
Compiler: HP92453-01 A.11.01.20 HP C Compiler
B3913DB C.03.25 HP aC++ Compiler (S800)
File System: HP-UX VxFS
System State: Multi-user

Notes/Tuning Information

Portability flags:

175.vpr: -DSPEC_CPU2000 ; 176.gcc: -DHOST_WORDS_BIG_ENDIAN
181.mcf: -DWANT_STDC_PROTO ; 186.crafty: -DHP -DSPEC_CPU2000
197.parser: -DSPEC_CPU2000 ; 252.eon: -DFMAX_IS_DOUBLE -DNDEBUG
253.perlbnk: -DSPEC_CPU2000_HP ; 254.gap: -DSPEC_CPU2000_HP
-DSYS_IS_USG -DSYS_HAS_IOCTL_PROTO -DSYS_HAS_TIME_PROTO -DSYS_HAS_CALLOC_PROTO
300.twolf: -DSPEC_CPU2000

Compiler invoked in extended ANSI mode: cc -Ae

Base flags:

cc: +Oall +Ostatic_prediction -Wl,-aarchive +I/+P
c++: +O3 +Ostatic_prediction -Wl,-aarchive +I/+P

Peak flags:

Peak flags = base flags for 186.crafty and 254.gap
all: +Ostaticprediction -Wl,-aarchive +I/+P
164.gzip: +Oall +Optrs_strongly_typed +Oinline_budget=800
-Wl,/opt/langtools/lib/fastmem.o
175.vpr: +Oall +Optrs_strongly_typed +Owhole_program_mode
176.gcc: +Oall +ESlit +ESfic



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Hewlett-Packard Company
HP 9000 Model A500

SPECint_rate2000 = 9.31
SPECint_rate_base2000 = 8.97

SPEC license #: 3 | Tested by: HP Richardson, TX | Test date: Jan-2001 | Hardware Avail: Nov-2000 | Software Avail: Nov-2000

Notes/Tuning Information (Continued)

```
181.mcf: +Oall +Opromote_indirect_calls
186.crafty: basepeak
197.parser: +Oall +Odataprefetch +ESfic +Oinline_budget=400
252.eon: +noeh +O4 +Optrs_strongly_typed +Olibcalls
253.perlbnk: +Oall +ESlit +ESfic -Wl,/opt/langtools/lib/fastmem.o
254.gap: basepeak
255.vortex: +Oall +Oinline_budget=800 +Optrs_strongly_typed
           -Wl,/opt/langtools/lib/fastmem.o
256.bzip2: +Oall +Odataprefetch +Optrs_strongly_typed
300.twolf: +Oall +Optrs_strongly_typed
Kernel tunables:
vps_pagesize=4096, vps_ceiling=16384, maxdsiz=0X04000000, maxssiz=0X10000000
Event Monitoring System disabled.
```