



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Hewlett-Packard Company
ProLiant DL360 G3(3.2GHz/1MB L3 cache, Intel Xeon)

SPECint_rate2000 = 28.2
SPECint_rate_base2000 = 26.5

SPEC license #: 3 Tested by: Hewlett-Packard Company Test date: Sep-2003 Hardware Avail: Oct-2003 Software Avail: Sep-2003

							Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio		
45	40	35	30	25	20	15	10	5	164.gzip	2	113	28.8	2	113	28.9
							175.vpr	2	179	18.1	2	179	18.1		
							176.gcc	2	78.4	32.5	2	68.4	37.3		
							181.mcf	2	355	11.8	2	356	11.7		
							186.crafty	2	82.0	28.3	2	82.0	28.3		
							197.parser	2	156	26.7	2	156	26.8		
							252.eon	2	91.9	32.8	2	78.5	38.4		
							253.perlbnk	2	129	32.4	2	119	35.1		
							254.gap	2	76.8	33.3	2	76.8	33.2		
							255.vortex	2	105	41.8	2	105	41.9		
							256.bzip2	2	171	20.3	2	167	20.8		
							300.twolf	2	266	26.1	2	189	36.9		

Hardware

CPU: Intel Xeon (3.2GHz, 533MHz bus)
 CPU MHz: 3200
 FPU: Integrated
 CPU(s) enabled: 2 cores, 2 chips, 1 core/chip (Hyper-Threading disabled)
 CPU(s) orderable: 1,2
 Parallel: No
 Primary Cache: 12K micro-ops I + 8KBD on chip
 Secondary Cache: 512KB(I+D) on chip
 L3 Cache: 1024KB(I+D) on chip
 Other Cache: N/A
 Memory: 4x512MB PC2100
 Disk Subsystem: 2x36.4GB 15K Ultra320 SCSI
 Other Hardware:

Software

Operating System: Windows 2000 Server(Build 2195 SP3)
 Compiler: Intel C++ Compiler 7.1 Build 20030813Z
 Microsoft Visual Studio .NET 7.0.9466 (for libraries)
 MicroQuill Smartheap Library 7.0
 File System: NTFS
 System State: Hyper Threading disabled in BIOS

Notes/Tuning Information

```
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use
Base tuning for C programs: -QxW -Qipo -O3 +FDO ONESTEP=yes
Base tuning for C++ programs: -Qipo -GX -GR +FDO ONESTEP=yes
Portability flags:
176.gcc: -Dalloca=_alloca /F10000000
186.crafty: -DNT_i386
253.perlbnk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO
Peak tuning:
164.gzip: -O3 -QxW -Qipo +FDO ONESTEP=yes
175.vpr: -QxW -Qipo -O3 +FDO ONESTEP=yes
176.gcc: -QxW -Qipo -Oi- -O3 +FDO ONESTEP=yes
181.mcf: -Oa -Qipo +FDO shlw32M.lib ONESTEP=yes
186.crafty: -QxW -Qipo -O3 +FDO ONESTEP=yes
197.parser: -QxW -Qipo -Oa -O3 +FDO ONESTEP=yes
252.eon: -QxW -Qipo -O3 +FDO shlw32M.lib ONESTEP=yes
253.perlbnk: -Qipo -Oa -O3 +FDO shlw32M.lib ONESTEP=yes
254.gap: -QxW -Qipo -O3 +FDO ONESTEP=yes
255.vortex: -QxW -Qipo -O3 +FDO ONESTEP=yes
256.bzip2: -Qunroll1 -Oa -Qipo +FDO ONESTEP=yes
```



CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Hewlett-Packard Company
ProLiant DL360 G3(3.2GHz/1MB L3 cache, Intel Xeon)

SPECint_rate2000 = 28.2
SPECint_rate_base2000 = 26.5

SPEC license #: 3 | Tested by: Hewlett-Packard Company | Test date: Sep-2003 | Hardware Avail: Oct-2003 | Software Avail: Sep-2003

Notes/Tuning Information (Continued)

300.twolf: -QxW -Qipo -O3 -Oa +FDO shlw32M.lib ONESTEP=yes