



# CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM Corporation  
IBM System X 3655 (AMD Opteron (TM) 2212)

SPECfp\_rate2000 = 76.9  
SPECfp\_rate\_base2000 = 71.4

SPEC license #: 11 | Tested by: IBM Corporation | Test date: Aug-2006 | Hardware Avail: Oct-2006 | Software Avail: Mar-2006

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
168.wupwise	4	73.7	101	4	65.5	113
171.swim	4	174	82.7	4	171	84.3
172.mgrid	4	135	61.7	4	125	66.6
173.applu	4	125	77.8	4	115	84.8
177.mesa	4	87.4	74.3	4	81.9	79.4
178.galgel	4	114	118	4	114	118
179.art	4	125	96.2	4	92.4	131
183.equake	4	104	58.1	4	95.1	63.5
187.facerec	4	94.9	92.9	4	89.8	98.2
188.amp	4	180	56.7	4	172	59.3
189.lucas	4	125	74.2	4	114	81.1
191.fma3d	4	160	60.7	4	162	60.2
200.sixtrack	4	163	31.2	4	156	32.8
301.apsi	4	196	61.5	4	184	65.4

**Hardware**

CPU: AMD Opteron 2212  
CPU MHz: 2000  
FPU: Integrated  
CPU(s) enabled: 4 cores, 2 chips, 2 cores/chip  
CPU(s) orderable: 1,2  
Parallel: No  
Primary Cache: 64KBI + 64KBD (on chip) per core  
Secondary Cache: 1024KB (I+D) (on chip) per core  
L3 Cache: N/A  
Other Cache: N/A  
Memory: 8x2GB, PC2-5300  
Disk Subsystem: SAS, 73GB 15K RPM  
Other Hardware: None

**Software**

Operating System: SuSE Linux 9.0 SP3 SLES 64 bit Kernel 2.6.5-7.244-smp  
Compiler: PathScale EKO Compiler Suite, Release 2.4  
PathScale EKOPATH(TM) Compiler Suite, Release 2.4  
File System: Linux/reiserfs  
System State: Multi-user, run level 3

## Notes/Tuning Information

+FDO: PASS1= -fb\_create fbdata PASS2= -fb\_opt fbdata

### Baseline optimization

C programs: -Ofast -WOPT:mem\_opnds=on +FDO  
Fortran programs: -Ofast -LNO:fusion=2 -OPT:fast\_complex=on +FDO  
Portability Flags:  
178.galgel: -fixedform

### Peak Tuning:

168.wupwise: -Ofast -IPA:linear=on -LNO:prefetch Ahead=5:prefetch=3  
-OPT:unroll\_times\_max=8:unroll\_size=128:IEEE\_NaN\_Inf=off:ro=3  
171.swim: -Ofast -CG:local\_fwd\_sched=on -LNO:fusion=2 -m3dnow  
172.mgrid: -Ofast -CG:gcm=off -OPT:IEEE\_arith=3:unroll\_size=200  
-LNO:fusion=2:fission=1:blocking=off:prefetch Ahead=2  
-WOPT:mem\_opnds=on:aggstr=0  
173.applu: -Ofast -CG:local\_fwd\_sched=on -OPT:ro=3 -TENV:X=3  
-LNO:fusion=2:fission=2:full\_unroll\_size=10000 +FDO



# CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM Corporation  
IBM System X 3655 (AMD Opteron (TM) 2212)

SPECfp\_rate2000 = 76.9  
SPECfp\_rate\_base2000 = 71.4

SPEC license #: 11 | Tested by: IBM Corporation | Test date: Aug-2006 | Hardware Avail: Oct-2006 | Software Avail: Mar-2006

## Notes/Tuning Information (Continued)

```

177.mesa:      -O2 -ipa -OPT:Ofast -fno-math-errno -CG:local_fwd_sched=on -WOPT:mem_opnds=on +FDO
178.galgel:    -Ofast -OPT:fast_complex=on +FDO
179.art:       -O3 -OPT:Ofast -fno-math-errno -mno-sse2 -m32
183.quake:    -Ofast -CG:load_exe=2 -WOPT:mem_opnds=on -m32 +FDO
187.facerec:  -Ofast -IPA:plimit=1500 -LNO:fusion=2
              -OPT:IEEE_NaN_Inf=off:ro=3:unroll_size=0 +FDO
188.amp:      -O3 -OPT:alias=disjoint:unroll_times_max=8:Ofast:ro=3
              -GRA:optimize_boundary=on -fno-math-errno -TENV:X=4 +FDO
189.lucas:    -Ofast -OPT:ro=3:fast_nint=off:unroll_size=256 -WOPT:mem_opnds=on +FDO
191.fma3d:    -O2 -ipa -CG:load_exe=1 -OPT:Ofast:IEEE_arith=3:ro=3
              -WOPT:mem_opnds=on:retype_expr=on -IPA:pu_reorder=1 +FDO
200.sixtrack: -O3 -OPT:Ofast:early_intrinsics=on
              -fno-math-errno -CG:load_exe=1 +FDO
301.apsi:     -Ofast -CG:load_exe=0 -LNO:prefetch=0:simd=2

```