



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Hewlett-Packard Company
ProLiant DL140 G3 (3.73 GHz, Intel Xeon processor 5080)

SPECint2000 = 1821
SPECint_base2000 = 1812

SPEC license #: 3 Tested by: Hewlett-Packard Company Test date: Nov-2006 Hardware Avail: Jun-2006 Software Avail: Oct-2006

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	
164.gzip	1400	109	1279	110	1278	
175.vpr	1400	117	1195	114	1226	
176.gcc	1100	50.4	2183	50.4	2183	
181.mcf	1800	92.0	1957	92.0	1958	
186.crafty	1000	71.5	1398	71.4	1401	
197.parser	1800	117	1532	117	1542	
252.eon	1300	50.9	2553	50.9	2554	
253.perlbmk	1800	81.5	2209	80.8	2227	
254.gap	1100	54.2	2030	53.4	2059	
255.vortex	1900	63.1	3009	63.1	3011	
256.bzip2	1500	112	1334	112	1334	
300.twolf	3000	154	1951	154	1952	

Hardware

CPU: Intel Xeon processor 5080 (3.73GHz, 2x2MB L2, 1066 MHz system bus)
CPU MHz: 3730
FPU: Integrated
CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip (Hyper-Threading Technology disabled)
CPU(s) orderable: 1,2 chips
Parallel: No
Primary Cache: 12 K micro-ops I + 16 KB D on chip per core
Secondary Cache: 2 MB I+D on chip per core
L3 Cache: N/A
Other Cache: N/A
Memory: 8 GB (8 x 1 GB PC2-5300F)
Disk Subsystem: 2 x 36 GB 15 K SAS
Other Hardware:

Software

Operating System: Windows Server 2003 Enterprise SP1
Compiler: Intel C++ Compiler for 32-bit applications, (version 9.1 Build 20060816Z) Microsoft Visual Studio .NET 7.0.9466 (for libraries) MicroQuill Smartheap Library 8.0
File System: NTFS
System State: Default

Notes/Tuning Information

```
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use
Base tuning for C programs: -fast +FDO ONESTEP=yes shlw32M.lib
Base tuning for C++ programs: -fast -Qcxx_features +FDO
Portability flags:
 176.gcc: -Dalloca=_alloca /F10000000
 186.crafty: -DNT_i386
 253.perlbmk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
 254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO
Peak tuning:
164.gzip: -fast +FDO ONESTEP=yes
175.vpr: -fast +FDO ONESTEP=yes
176.gcc: basepeak=1
181.mcf: -fast +FDO ONESTEP=yes shlw32M.lib
186.crafty: -fast -Oa +FDO ONESTEP=yes shlw32M.lib
197.parser: -fast +FDO ONESTEP=yes
252.eon: -fast +FDO
253.perlbmk: -fast -Oa +FDO ONESTEP=yes shlw32M.lib
254.gap: -fast +FDO ONESTEP=yes
255.vortex: -fast +FDO ONESTEP=yes shlw32M.lib
256.bzip2: basepeak=1
```



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Hewlett-Packard Company
ProLiant DL140 G3 (3.73 GHz, Intel Xeon processor 5080)

SPECint2000 =	1821
SPECint_base2000 =	1812

SPEC license #:	3	Tested by:	Hewlett-Packard Company	Test date:	Nov-2006	Hardware Avail:	Jun-2006	Software Avail:	Oct-2006
-----------------	---	------------	-------------------------	------------	----------	-----------------	----------	-----------------	----------

Notes/Tuning Information (Continued)

300.twolf: -fast +FDO shlw32M.lib
BIOS Configuration Notes
Hyper-Threading Technology disabled