



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Itautec

Servidor Itautec MX201 (Intel Xeon 5120 processor, 1.86GHz)

SPECint_rate2000 = 77.7

SPECint_rate_base2000 = 77.7

SPEC license #: 9001 | Tested by: Itautec | Test date: Nov-2006 | Hardware Avail: Jul-2006 | Software Avail: Mar-2006

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.zip	4	125	52.1	4	125	52.1
175.vpr	4	116	55.9	4	116	55.9
176.gcc	4	58.0	88.0	4	58.0	88.0
181.mcf	4	126	66.2	4	126	66.2
186.crafty	4	57.9	80.2	4	57.9	80.2
197.parser	4	136	61.4	4	136	61.4
252.eon	4	54.1	112	4	54.1	112
253.perlbnk	4	86.9	96.1	4	86.9	96.1
254.gap	4	71.2	71.7	4	71.2	71.7
255.vortex	4	67.1	131	4	67.1	131
256.bzip2	4	121	57.6	4	121	57.6
300.twolf	4	141	99.1	4	141	99.1

Hardware

CPU: Intel Xeon 5120 processor (1.86 GHz, 4MB L2 shared, 1066 MHz system bus)
CPU MHz: 1860
FPU: Integrated
CPU(s) enabled: 4 cores, 2 chips, 2 cores/chip
CPU(s) orderable: 1,2
Parallel: No
Primary Cache: 32 KB I + 32 KB D on chip per core
Secondary Cache: 4MB (I+D) on chip, per chip, shared
L3 Cache: N/A
Other Cache: N/A
Memory: 14GB (7x2GB DDR2-RAM PC2-5300 FB-DIMM CL5 ECC)
Disk Subsystem: 1 x 120GB Serial ATA 7200 RPM
Other Hardware: None

Software

Operating System: Windows Server 2003 Enterprise Edition + SP1 (32-bit)
Compiler: Intel C++ Compiler 9.1
Build 20060323Z (for 32-bit applications),
Microsoft Visual Studio 2005(for libraries),
Microquill SmartHeap Library for SMP v.8.0
File System: NTFS
System State: Default

Notes/Tuning Information

PORTABILITY FLAGS

```
176.gcc: -Dalloca=_alloca /F10000000
186.crafty: -DNT_i386
252.eon: -DHAS_ERRLIST
253.perlbnk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO
```

GENERAL

```
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use
```

Base tuning flags

```
for C programs: -fast +FDO shlsmpmt.lib
for C++ programs: -fast -Qcxx_features +FDO
```

BIOS settings default.

EXTRA LIBRARIES

MicroQuill SmartHeap Library for SMP v.8.0
<http://www.microquill.com/>