



SPEC® CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp®_rate2006 = 215

IBM System p 570 (4.7 GHz, 8 core, SLES)

SPECfp_rate_base2006 = 182

CPU2006 license: 11


Test sponsor: IBM Corporation

Tested by: IBM Corporation

Test date: Jun-2007

Hardware Availability: Jun-2007

Software Availability: Sep-2007



Hardware

CPU Name: POWER6
CPU Characteristics:
CPU MHz:
FPU:
CPU(s) enabled:
CPU(s) orderable:
Primary Cache:
Secondary Cache:

POWER6
4700
Integrated
8 cores, 4 chips, 2 cores/chip, 2 threads/core
2,4,8,12,16 cores
64 KB I + 64 KB D on chip per core
4 MB I+D on chip per core

Software

Operating System: SUSE Linux Enterprise 10 SP1
Compiler: IBM XL C/C++ Advanced Edition for Linux, V9.0
IBM XL Fortran Advanced Edition for Linux, V11.1
Auto Parallel: No
File System: ReiserFS
System State: Multi-User
Base Pointers: 32-bit
Peak Pointers: 32/64-bit

Continued on next page

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 215

IBM System p 570 (4.7 GHz, 8 core, SLES)

SPECfp_rate_base2006 = 182

CPU2006 license: 11

Test date: Jun-2007

Test sponsor: IBM Corporation

Hardware Availability: Jun-2007

Tested by: IBM Corporation

Software Availability: Sep-2007

L3 Cache: 32 MB I+D off chip per chip
 Other Cache: None
 Memory: 64 GB (32x2 GB) DDR2 667 MHz
 Disk Subsystem: 2x73 GB SAS 15K RPM
 Other Hardware: None

Other Software: -Post-Link Optimization for Linux on POWER, Version 5.4.0
 -MicroQuill SmartHeap 7.3
 -Engineering and Scientific Subroutine Library for Linux on POWER, Version 4.3

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	16	913	238	913	238	914	238	16	908	239	907	240	908	240
416.gamess	16	1789	175	1788	175	1788	175	16	1706	184	1706	184	1705	184
433.milc	16	1138	129	1138	129	1138	129	16	1138	129	1138	129	1138	129
434.zeusmp	16	909	160	907	160	908	160	16	542	269	560	260	551	264
435.gromacs	16	792	144	792	144	792	144	16	723	158	724	158	723	158
436.cactusADM	16	1115	172	1115	171	1117	171	16	790	242	790	242	790	242
437.leslie3d	16	842	179	844	178	842	179	8	369	204	369	204	371	203
444.namd	16	664	193	664	193	666	193	16	645	199	645	199	645	199
447.dealII	16	768	238	769	238	768	238	16	601	305	601	305	603	304
450.soplex	16	623	214	617	216	615	217	16	625	214	625	214	624	214
453.povray	16	541	157	541	157	541	157	16	436	195	435	196	435	195
454.calculix	16	683	193	680	194	682	194	16	591	223	593	223	591	223
459.GemsFDTD	16	1238	137	1214	140	1215	140	16	1178	144	1177	144	1178	144
465.tonto	16	1659	94.9	1630	96.6	1629	96.7	16	723	218	723	218	723	218
470.lbm	16	586	375	586	375	586	375	16	586	375	586	375	586	375
481.wrf	16	1274	140	1276	140	1274	140	16	1127	159	1128	158	1127	159
482.sphinx3	16	936	333	945	330	936	333	16	890	350	911	342	892	350

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

General Notes

kernel release 2.6.16.46-0.12-ppc64.

See flags file for details on following settings.

ulimit -s (stack) set to unlimited.

System set to Enhanced mode when defining partition on HMC

Large pages reserved as follows by root user:

```
echo 1600 > /proc/sys/vm/nr_hugepages
```

System configured with libhugetlbfs library for application access to large pages

Environment variables set before executing benchmarks.

```
export HUGETLB_VERBOSE=0
```

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 215

IBM System p 570 (4.7 GHz, 8 core, SLES)

SPECfp_rate_base2006 = 182

CPU2006 license: 11

Test date: Jun-2007

Test sponsor: IBM Corporation

Hardware Availability: Jun-2007

Tested by: IBM Corporation

Software Availability: Sep-2007

General Notes (Continued)

```
export HUGETLB_MORECORE=yes  
export HUGETLB_MORECORE_HEAPBASE=0x50000000  
export XLF RTEOPTS=intrinthds=1
```

```
fdpr binary optimization tool used for  
435.gromacs 436.cactusADM 482.sphinx3
```

Benchmarks bound to a processor using taskset on the submit command.

Base Compiler Invocation

C benchmarks:

```
xlc -qlanglvl=extc99
```

C++ benchmarks:

```
x1C
```

Fortran benchmarks:

```
xlf95
```

Benchmarks using both Fortran and C:

```
xlc -qlanglvl=extc99 xlf95
```

Base Portability Flags

```
410.bwaves: -qfixed  
416.gamess: -qfixed  
434.zeusmp: -qfixed  
435.gromacs: -qfixed -qextname  
436.cactusADM: -qfixed -qextname  
437.leslie3d: -qfixed  
454.calculix: -qfixed -qextname  
481.wrf: -DNOUNDERSCORE  
482.sphinx3: -qchars=signed
```

Base Optimization Flags

C benchmarks:

```
-O5 -qnoenablevmx -B/usr/share/libhugetlbfs/ -tl  
-Wl,--hugetlbfs-link=BDT
```

C++ benchmarks:

```
-O5 -qrtti -qnoenablevmx -lhugetlbfs
```

Fortran benchmarks:

```
-O5 -qsmallstack=dynlenonheap -qalias=nostd -qnoenablevmx  
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-link=BDT
```

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 215

IBM System p 570 (4.7 GHz, 8 core, SLES)

SPECfp_rate_base2006 = 182

CPU2006 license: 11

Test date: Jun-2007

Test sponsor: IBM Corporation

Hardware Availability: Jun-2007

Tested by: IBM Corporation

Software Availability: Sep-2007

Base Optimization Flags (Continued)

Benchmarks using both Fortran and C:

```
-O5 -qnoenablevmx -B/usr/share/libhugetlbfs/ -tl  
-Wl,--hugetlbfs-link=BDT -qsmalstack=dynlenonheap -qalias=nostd
```

Base Other Flags

C benchmarks:

```
-qipa=noobject -qipa=threads
```

C++ benchmarks:

```
-qipa=noobject -qipa=threads
```

Fortran benchmarks:

```
-qipa=noobject -qipa=threads
```

Benchmarks using both Fortran and C:

```
-qipa=noobject -qipa=threads
```

Peak Compiler Invocation

C benchmarks:

```
xlc -qlanglvl=extc99
```

C++ benchmarks:

```
xlc
```

Fortran benchmarks:

```
xlf95
```

Benchmarks using both Fortran and C:

```
xlc -qlanglvl=extc99 xlf95
```

Peak Portability Flags

410.bwaves: -qfixed
416.gamess: -qfixed
434.zeusmp: -qfixed
435.gromacs: -qfixed -qextname
436.cactusADM: -qfixed -qextname
437.leslie3d: -qfixed
454.calculix: -qfixed -qextname

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 215

IBM System p 570 (4.7 GHz, 8 core, SLES)

SPECfp_rate_base2006 = 182

CPU2006 license: 11

Test date: Jun-2007

Test sponsor: IBM Corporation

Hardware Availability: Jun-2007

Tested by: IBM Corporation

Software Availability: Sep-2007

Peak Portability Flags (Continued)

481.wrf: -DNOUNDERSCORE
482.sphinx3: -qchars=signed

Peak Optimization Flags

C benchmarks:

433.milc: -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qnoenablevmx
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-link=BDT

470.lbm: -O3 -qarch=pwr6e -qtune=pwr6 -B/usr/share/libhugetlbfs/
-tl -Wl,--hugetlbfs-link=BDT -q64

482.sphinx3: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -lhugetlbfs

C++ benchmarks:

444.namd: -qpdf1(pass 1) -qpdf2(pass 2) -O3 -qarch=pwr6e -qtune=pwr6

447.dealII: -O5 -qrtti -qnoenablevmx -qstaticlink
-Wl,--whole-archive /usr/lib/libhugetlbfs.a
-Wl,--no-whole-archive

450.soplex: -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qstrict
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-link=BDT

453.povray: -qpdf1(pass 1) -qpdf2(pass 2) -O5 -lsmartheap

Fortran benchmarks:

410.bwaves: -O5 -qsmallstack=dynlenonheap -lhugetlbfs

416.gamess: -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qalias=nostd
-qnoenablevmx

434.zeusmp: -qpdf1(pass 1) -qpdf2(pass 2) -O3 -qarch=pwr6e -qtune=pwr6
-qxlf90=nosignedzero -B/usr/share/libhugetlbfs/ -tl
-Wl,--hugetlbfs-link=BDT

437.leslie3d: -O3 -qarch=pwr6e -qtune=pwr6 -B/usr/share/libhugetlbfs/
-tl -Wl,--hugetlbfs-link=BDT -q64

459.GemsFDTD: -qpdf1(pass 1) -qpdf2(pass 2) -O5
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-link=BDT
-q64

465.tonto: -qpdf1(pass 1) -qpdf2(pass 2) -O5 -lessl -lhugetlbfs
-lxlf90_r

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 215

IBM System p 570 (4.7 GHz, 8 core, SLES)

SPECfp_rate_base2006 = 182

CPU2006 license: 11

Test date: Jun-2007

Test sponsor: IBM Corporation

Hardware Availability: Jun-2007

Tested by: IBM Corporation

Software Availability: Sep-2007

Peak Optimization Flags (Continued)

Benchmarks using both Fortran and C:

435.gromacs: -Wl,-q -O2 -qarch=pwr6e -qtune=pwr6 -lhugetlbfs

436.cactusADM: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O2 -qarch=pwr6e
-qtune=pwr6 -lhugetlbfs

454.calculix: -qpdf1(pass 1) -qpdf2(pass 2) -O4
-B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-link=BDT

481.wrf: -O5 -qnoenablevmx -qalias=nostd -lhugetlbfs

Peak Other Flags

C benchmarks:

-qipa=noobject -qipa=threads

C++ benchmarks:

-qipa=noobject -qipa=threads

Fortran benchmarks:

-qipa=noobject -qipa=threads

Benchmarks using both Fortran and C:

-qipa=noobject -qipa=threads

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/lop-xl-flags.20090714.01.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/lop-xl-flags.20090714.01.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.

Report generated on Tue Jul 22 13:25:31 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 24 July 2007.