SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM System x3655 (AMD Opteron 2344 HE)

SPECint®_rate2006 = 79.2

SPECint_rate_base2006 = 68.4

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Jun-2008
Hardware Availability: Aug-2008
Software Availability: Jun-2008



Hardware

CPU Name:	AMD Opteron 2344 HE
CPU Characteristics:	
CPU MHz:	1700
FPU:	Integrated
CPU(s) enabled:	8 cores, 2 chips, 4 cores/chip
CPU(s) orderable:	1,2 chips
Primary Cache:	64 KB I + 64 KB D on chip per core
Secondary Cache:	512 KB I+D on chip per core
L3 Cache:	2 MB I+D on chip per chip
Other Cache:	None
Memory:	16 GB (8 x 2 GB, DDR2-667 CL5 Reg Dual Rank)
Disk Subsystem:	1 x 73.4 GB SAS, 15000 RPM
Other Hardware:	None

Software

Operating System:	SuSE Linux Enterprise Server 10 (x86_64) SP1, Kernel 2.6.16.46-0.12-smp
Compiler:	PGI Server Complete Version 7.2 PathScale Compiler Suite Version 3.2
Auto Parallel:	No
File System:	ext3
System State:	Run level 3 (Full multiuser with network)
Base Pointers:	32/64-bit
Peak Pointers:	32/64-bit
Other Software:	SmartHeap 8.0 32-bit Library for Linux

SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM System x3655 (AMD Opteron 2344 HE)

SPECint_rate2006 = 79.2

SPECint_rate_base2006 = 68.4

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: Advanced Micro Devices

Test date: Jun-2008
Hardware Availability: Aug-2008
Software Availability: Jun-2008

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	8	1094	71.4	1102	70.9	**1100**	**71.0**	8	**842**	**92.9**	841	93.0	848	92.1
401.bzip2	8	1466	52.6	**1472**	**52.4**	1473	52.4	8	1426	54.1	**1425**	**54.2**	1423	54.2
403.gcc	8	1348	47.8	**1308**	**49.2**	1308	49.2	8	**1122**	**57.4**	1118	57.6	1122	57.4
429.mcf	8	1337	54.6	1335	54.7	**1335**	**54.7**	8	1043	69.9	**1043**	**70.0**	1043	70.0
445.gobmk	8	**1223**	**68.6**	1223	68.6	1223	68.6	8	**973**	**86.2**	973	86.3	974	86.2
456.hmmer	8	836	89.3	832	89.7	**834**	**89.5**	8	**549**	**136**	549	136	552	135
458.sjeng	8	1324	73.1	**1320**	**73.4**	1319	73.4	8	1217	79.5	**1218**	**79.5**	1219	79.4
462.libquantum	8	1329	125	**1328**	**125**	1328	125	8	1318	126	1318	126	**1318**	**126**
464.h264ref	8	1576	112	**1575**	**112**	1555	114	8	1520	116	1522	116	**1520**	**116**
471.omnetpp	8	991	50.5	**991**	**50.5**	992	50.4	8	974	51.3	**975**	**51.3**	976	51.2
473.astar	8	1113	50.5	**1114**	**50.4**	1115	50.4	8	1004	55.9	**1006**	**55.9**	1007	55.7
483.xalancbmk	8	851	64.8	853	64.7	**852**	**64.8**	8	**719**	**76.8**	718	76.9	719	76.7

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Operating System Notes

```
'numactl' was used to bind copies to the cores
Environment variable PGI_HUGE_PAGES set to 150
'ulimit -s unlimited' was used to set environment stack size
'ulimit -l 2097152'  was used to set environment locked pages in memory limit
Set vm/nr_hugepages=1200 in /etc/sysctl.conf
mount -t hugetlbfs nodev /mnt/hugepages
```

Base Compiler Invocation

C benchmarks:
pgcc

C++ benchmarks:
pgcpp

Base Portability Flags

400.perlbench: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX_X64
401.bzip2: -DSPEC_CPU_LP64
403.gcc: -DSPEC_CPU_LP64
429.mcf: -DSPEC_CPU_LP64
445.gobmk: -DSPEC_CPU_LP64
456.hmmer: -DSPEC_CPU_LP64

Continued on next page

Base Portability Flags (Continued)

458.sjeng: `-DSPEC_CPU_LP64`
462.libquantum: `-DSPEC_CPU_LP64 -DSPEC_CPU_LINUX`
464.h264ref: `-DSPEC_CPU_LP64`
483.xalancbmk: `-DSPEC_CPU_LINUX`

Base Optimization Flags

C benchmarks:
`-fastsse -Msmartalloc=huge:150 -Mfprelaxed -Mipa=fast -Mipa=inline -tp barcelona-64 -Bstatic_pgi`

C++ benchmarks:
`-fastsse -Msmartalloc=huge:150 -Mfprelaxed --zc_eh -Mipa=fast -Mipa=inline -tp barcelona -Bstatic_pgi`

Base Other Flags

C benchmarks:
`-Mipa=jobs:4`

C++ benchmarks:
`-Mipa=jobs:4`

Peak Compiler Invocation

C benchmarks (except as noted below):
`pgcc`

400.perlbench: `pathcc`

403.gcc: `pathcc`

445.gobmk: `pathcc`

464.h264ref: `pathcc`

C++ benchmarks (except as noted below):
`pathCC`

473.astar: `pgcpp`

Peak Portability Flags

400.perlbench: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX_X64
401.bzip2: -DSPEC_CPU_LP64
445.gobmk: -DSPEC_CPU_LP64
456.hmmer: -DSPEC_CPU_LP64
458.sjeng: -DSPEC_CPU_LP64
462.libquantum: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX
464.h264ref: -DSPEC_CPU_LP64
483.xalancbmk: -DSPEC_CPU_LINUX

Peak Optimization Flags

C benchmarks:

400.perlbench: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -Ofast -IPA:plimit=20000 -LNO:opt=0
-WOPT:if_conv=0 -CG:local_sched_alg=1

401.bzip2: -Mpfi=indirect(pass 1) -Mpfo=indirect(pass 2) -fastsse -O4
-Msmartalloc=huge:150 -Mprefetch=t0 -Mnounroll
-tp barcelona-64 -Bstatic_pgi

403.gcc: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -O3 -OPT:Ofast -m32

429.mcf: -fastsse -Msmartalloc=huge:150 -Mipa=fast -Mipa=inline:1
-tp barcelona -Bstatic_pgi

445.gobmk: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -O3 -OPT:alias=restrict
-LNO:prefetch=1 -LNO:ignore_feedback=off -CG:p2align=on

456.hmmer: -fastsse -Mvect=partial -Munroll=n:8 -Msmartalloc=huge:150
-Msafeptr -Mprefetch=t0 -Mfprelaxed -Mipa=const -Mipa=ptr
-Mipa=arg -Mipa=inline -tp barcelona-64 -Bstatic_pgi

458.sjeng: -Mpfi(pass 1) -Mpfo(pass 2) -Mipa=fast(pass 2)
-Mipa=inline:1(pass 2) -Mipa=noarg(pass 2) -fastsse
-Msmartalloc=huge:150 -Mfprelaxed -tp barcelona-64
-Bstatic_pgi

462.libquantum: -fastsse -Munroll=m:8 -Msmartalloc=huge:150
-Mprefetch=distance:4 -Mfprelaxed -Mipa=fast -Mipa=inline
-Mipa=noarg -tp barcelona-64 -Bstatic_pgi

464.h264ref: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -O3 -IPA:plimit=20000
-OPT:alias=disjoint -LNO:prefetch=0 -CG:ptr_load_use=0
-CG:push_pop_int_saved_regs=off

Continued on next page

Peak Optimization Flags (Continued)

C++ benchmarks:

471.omnetpp: `-march=barcelona -Ofast -CG:gcm=off -INLINE:aggressive=on -OPT:alias=disjoint -WOPT:if_conv=0 -m32 -lsmartheap`

473.astar: `-Mpfi`(pass 1) `-Mpfo`(pass 2) `-Mipa=fast`(pass 2) `-Mipa=inline:6`(pass 2) `-fastsse -O4 -Msmartalloc=huge:150 -Msafeptr=global -Mfprelaxed --zc_eh -tp barcelona -Bstatic_pgi`

483.xalancbmk: `-march=barcelona -Ofast -OPT:unroll_times_max=8 -CG:push_pop_int_saved_regs=off -CG:ptr_load_use=0 -m32 -lsmartheap`

Peak Other Flags

C benchmarks:

429.mcf: `-Mipa=jobs:4`

456.hmmer: `-Mipa=jobs:4`

458.sjeng: `-Mipa=jobs:4`(pass 2)

462.libquantum: `-Mipa=jobs:4`

C++ benchmarks (except as noted below):
`-L/root/work/cpu2006-amd421gh/amd421gh.libs/32`

473.astar: `-Mipa=jobs:4`(pass 2)

The flags file that was used to format this result can be browsed at
`http://www.spec.org/cpu2006/flags/amd421GH-flags.20090713.00.html`

You can also download the XML flags source by saving the following link:
`http://www.spec.org/cpu2006/flags/amd421GH-flags.20090713.00.xml`

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.
Report generated on Tue Jul 22 18:51:36 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 5 August 2008.