SPEC® CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Dell Inc.

PowerEdge M805 (AMD Opteron 2360 SE, 2.5 GHz)

SPECfp®_rate2006 = 89.9

SPECfp_rate_base2006 = 81.9

CPU2006 license: 55
Test sponsor: Dell Inc.
Tested by: Dell Inc.

Test date: Jul-2008
Hardware Availability: Aug-2008
Software Availability: May-2008



Hardware

CPU Name:	AMD Opteron 2360 SE
CPU Characteristics:	
CPU MHz:	2500
FPU:	Integrated
CPU(s) enabled:	8 cores, 2 chips, 4 cores/chip
CPU(s) orderable:	2 chips
Primary Cache:	64 KB I + 64 KB D on chip per core
Secondary Cache:	512 KB I+D on chip per core

Continued on next page

Software

Operating System:	SUSE Linux Enterprise Server 10 (x86_64) SP2, Kernel 2.6.16-60.0.21-smp
Compiler:	PGI Server Complete Version 7.2 PathScale Compiler Suite Version 3.1
Auto Parallel:	No
File System:	ext3
System State:	Run level 3 (multi-user)
Base Pointers:	64-bit
Peak Pointers:	32/64-bit

Continued on next page

SPEC CFP2006 Result

Copyright 2006-2016 Standard Performance Evaluation Corporation

Dell Inc.

PowerEdge M805 (AMD Opteron 2360 SE, 2.5 GHz)

SPECfp_rate2006 = 89.9

SPECfp_rate_base2006 = 81.9

CPU2006 license: 55
Test sponsor: Dell Inc.
Tested by: Dell Inc.

Test date: Jul-2008
Hardware Availability: Aug-2008
Software Availability: May-2008

L3 Cache: 2 MB I+D on chip per chip
Other Cache: None
Memory: 16 GB (8 x 2GB, DDR2-667 CL5)
Disk Subsystem: 1 x 36GB SAS 15000 RPM
Other Hardware: None

Other Software: None

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	8	1438	75.6	**1416**	**76.8**	1413	77.0	8	1333	81.6	**1334**	**81.5**	1339	81.2
416.gamess	8	**1271**	**123**	1270	123	1274	123	8	1171	134	1173	134	**1172**	**134**
433.milc	8	1220	60.2	**1219**	**60.2**	1219	60.2	8	1202	61.1	1202	61.1	**1202**	**61.1**
434.zeusmp	8	789	92.3	**789**	**92.2**	794	91.7	8	784	92.9	790	92.2	**789**	**92.3**
435.gromacs	8	608	94.0	607	94.1	**607**	**94.0**	8	491	116	490	116	**491**	**116**
436.cactusADM	8	1036	92.3	1063	89.9	**1053**	**90.8**	8	985	97.1	972	98.4	**974**	**98.1**
437.leslie3d	8	1480	50.8	**1480**	**50.8**	1479	50.9	8	1431	52.6	1434	52.4	**1433**	**52.5**
444.namd	8	**693**	**92.5**	695	92.4	693	92.6	8	**611**	**105**	612	105	611	105
447.dealII	8	773	118	767	119	**769**	**119**	8	542	169	527	174	**527**	**174**
450.soplex	8	1221	54.6	**1212**	**55.0**	1207	55.3	8	1213	55.0	**1191**	**56.0**	1186	56.3
453.povray	8	341	125	**341**	**125**	341	125	8	285	149	**285**	**149**	284	150
454.calculix	8	539	122	**539**	**123**	535	123	8	541	122	**540**	**122**	540	122
459.GemsFDTD	8	1790	47.4	**1792**	**47.4**	1795	47.3	8	1734	48.9	1727	49.1	**1733**	**49.0**
465.tonto	8	**780**	**101**	778	101	782	101	8	680	116	**687**	**115**	691	114
470.lbm	8	2342	46.9	**2339**	**47.0**	2323	47.3	8	2251	48.8	2252	48.8	**2252**	**48.8**
481.wrf	8	1005	88.9	996	89.8	**1001**	**89.3**	8	973	91.8	966	92.6	**967**	**92.4**
482.sphinx3	8	1956	79.7	**1961**	**79.5**	1964	79.4	8	**1652**	**94.4**	1657	94.1	1651	94.4

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Operating System Notes

```
'numactl' was used to bind copies to the cores
Environment variable PGI_HUGE_PAGES set to 150
'ulimit -s unlimited' was used to set environment stack size
'ulimit -l 2457600' was used to set environment locked pages in memory quantity
Set vm/nr_hugepages=1200 in /etc/sysctl.conf
mount -t hugetlbfs nodev /mnt/hugepages
```

Base Compiler Invocation

C benchmarks:

```
pgcc
```

Continued on next page

Base Compiler Invocation (Continued)

C++ benchmarks:
pgcpp

Fortran benchmarks:
pgf95

Benchmarks using both Fortran and C:
pgcc pgf95

Base Portability Flags

410.bwaves: -DSPEC_CPU_LP64
416.gamess: -DSPEC_CPU_LP64
433.milc: -DSPEC_CPU_LP64
434.zeusmp: -DSPEC_CPU_LP64
435.gromacs: -DSPEC_CPU_LP64 -Mnomain
436.cactusADM: -DSPEC_CPU_LP64 -Mnomain
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
447.dealII: -DSPEC_CPU_LP64
450.soplex: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_CASE_FLAG -DSPEC_CPU_LINUX
482.sphinx3: -DSPEC_CPU_LP64

Base Optimization Flags

C benchmarks:
-fast -Mipa=fast -Mipa=inline -Mfprelaxed -Msmartalloc=huge:150
-tp barcelona-64 -Bstatic_pgi

C++ benchmarks:
-fast -Mipa=fast -Mipa=inline -Mfprelaxed -Msmartalloc=huge:150
--zc_eh -tp barcelona-64 -Bstatic_pgi

Fortran benchmarks:
-fast -Mipa=fast -Mipa=inline -Mfprelaxed -Msmartalloc=huge:150
-tp barcelona-64 -Bstatic_pgi

Benchmarks using both Fortran and C:
-fast -Mipa=fast -Mipa=inline -Mfprelaxed -Msmartalloc=huge:150
-tp barcelona-64 -Bstatic_pgi

Base Other Flags

C benchmarks:
`-w -Mipa=jobs:4`

C++ benchmarks:
`-w -Mipa=jobs:4`

Fortran benchmarks:
`-w -Mipa=jobs:4`

Benchmarks using both Fortran and C:
`-w -Mipa=jobs:4`

Peak Compiler Invocation

C benchmarks (except as noted below):
`pathcc`

433.milc: `pgcc`

C++ benchmarks (except as noted below):
`pathCC`

444.namd: `pgcpp`

Fortran benchmarks (except as noted below):
`pathf95`

410.bwaves: `pgf95`

434.zeusmp: `pgf95`

Benchmarks using both Fortran and C (except as noted below):
`pgcc pgf95`

436.cactusADM: `pathcc pathf95`

481.wrf: `pathcc pathf95`

Peak Portability Flags

410.bwaves: `-DSPEC_CPU_LP64`
416.gamess: `-DSPEC_CPU_LP64`
433.milc: `-DSPEC_CPU_LP64`
434.zeusmp: `-DSPEC_CPU_LP64`
435.gromacs: `-DSPEC_CPU_LP64 -Mnomain`

Continued on next page

Peak Portability Flags (Continued)

436.cactusADM: -DSPEC_CPU_LP64 -fno-second-underscore
437.leslie3d: -DSPEC_CPU_LP64
444.namd: -DSPEC_CPU_LP64
453.povray: -DSPEC_CPU_LP64
454.calculix: -DSPEC_CPU_LP64 -Mnomain
459.GemsFDTD: -DSPEC_CPU_LP64
465.tonto: -DSPEC_CPU_LP64
470.lbm: -DSPEC_CPU_LP64
481.wrf: -DSPEC_CPU_LP64 -DSPEC_CPU_LINUX -fno-second-underscore
482.sphinx3: -DSPEC_CPU_LP64

Peak Optimization Flags

C benchmarks:

433.milc: -fastsse -Msmartalloc=huge:150 -Msafeptr -Mfprelaxed
-Mipa=inline -Mipa=arg -Mipa=const -Mipa=ptr -Mipa=shape
-tp barcelona-64 -Bstatic_pgi

470.lbm: -march=barcelona -Ofast -m3dnow

482.sphinx3: -march=barcelona -Ofast

C++ benchmarks:

444.namd: -Mpfi(pass 1) -Mipa=fast(pass 2) -Mipa=inline(pass 2)
-Mpfo(pass 2) -fast -Mfprelaxed -Msmartalloc=huge:150
--zc_eh -Mnodepchk -Munroll=n:4 -Munroll=m:8
-tp barcelona-64 -Bstatic_pgi

447.dealII: -march=barcelona -Ofast -static -INLINE:aggressive=on
-OPT:malloc_alg=1 -m32 -fno-exceptions

450.soplex: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -m32 -O3 -TENV:frame_pointer=off
-LNO:prefetch=1

453.povray: -march=barcelona -fb_create fbdata(pass 1)
-fb_opt fbdata(pass 2) -Ofast -CG:load_exe=0

Fortran benchmarks:

410.bwaves: -Mpfi(pass 1) -Mipa=fast(pass 2) -Mipa=inline(pass 2)
-Mpfo(pass 2) -fastsse -Mfprelaxed -Msmartalloc
-Mprefetch=distance:12 -Mprefetch=nta -tp barcelona-64
-Bstatic_pgi

Continued on next page

Peak Optimization Flags (Continued)

416.gamess: `-march=barcelona -fb_create fbdata`(pass 1)
`-fb_opt fbdata`(pass 2) `-O2 -OPT:Ofast -OPT:ro=3`
`-OPT:unroll_size=256`

434.zeusmp: `-fastsse -Mfprelaxed -Msmartalloc=huge:150 -Mipa=fast`
`-Mipa=inline -tp barcelona-64 -Bstatic_pgi`

437.leslie3d: `-march=barcelona -Ofast -m3dnow -OPT:unroll_size=256`
`-CG:load_exe=0 -OPT:malloc_alg=1`

459.GemsFDTD: `-march=barcelona -Ofast -LNO:fission=2 -LNO:simd=2`
`-OPT:malloc_alg=1`

465.tonto: `-march=barcelona -Ofast -OPT:malloc_alg=1`
`-OPT:alias=no_f90_pointer_alias -LNO:blocking=off`
`-CG:load_exe=1 -IPA:plimit=525`

Benchmarks using both Fortran and C:

435.gromacs: `-fast -Mfpapprox=rsqrt -Mipa=fast -Mipa=inline -Mfprelaxed`
`-Msmartalloc=huge:150 -tp barcelona-64 -Bstatic_pgi`

436.cactusADM: `-march=barcelona -fb_create fbdata`(pass 1)
`-fb_opt fbdata`(pass 2) `-Ofast -WOPT:aggstr=0`

454.calculix: `-fastsse -Mfprelaxed -Msmartalloc=huge:150 -Mipa=fast`
`-Mipa=inline -tp barcelona-64 -Bstatic_pgi`

481.wrf: `-march=barcelona -Ofast -LNO:blocking=off`
`-LNO:prefetch_ahead=10 -OPT:malloc_alg=1 -m3dnow`
`-LANG:copyinout=off -IPA:callee_limit=5000`

Peak Other Flags

C benchmarks:

433.milc: `-w -Mipa=jobs:4`

C++ benchmarks:

444.namd: `-w -Mipa=jobs:4`(pass 2)

Fortran benchmarks:

410.bwaves: `-w -Mipa=jobs:4`(pass 2)

434.zeusmp: `-w -Mipa=jobs:4`

Continued on next page

Peak Other Flags (Continued)

Benchmarks using both Fortran and C:

435.gromacs: `-w -Mipa=jobs:4`

454.calculix: `-w -Mipa=jobs:4`

The flags file that was used to format this result can be browsed at
`http://www.spec.org/cpu2006/flags/amd123GH-flags.20090713.01.html`

You can also download the XML flags source by saving the following link:
`http://www.spec.org/cpu2006/flags/amd123GH-flags.20090713.01.xml`

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.
Report generated on Tue Sep 13 11:38:02 2016 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 19 August 2008.