



OMPM2001 Result

Copyright 1999-2008, Standard Performance Evaluation Corporation

IBM Corporation
IBM Power 595 (5.0 GHz, 64 core, Red Hat)

SPECompMpeak2001 = 242116
SPECompMbase2001 = 172311

SPEC license #HPG0005 | Tested by: IBM | Test site: Austin, TX | Test date: Jun-2008 | Hardware Avail: May-2008 | Software Avail: May-2008

Benchmark	Reference Time	Base Runtime	Base Ratio	Peak Runtime	Peak Ratio	
310.wupwise_m	6000	12.0	499351	12.0	499351	
312.swim_m	6000	12.4	484225	7.53	797288	
314.mgrid_m	7300	38.4	190212	29.3	249133	
316.applu_m	4000	6.29	636307	5.91	677086	
318.galgel_m	5100	206	24713	126	40367	
320.quake_m	2600	89.9	28934	13.9	186833	
324.apsi_m	3400	11.1	307014	11.1	307014	
326.gafort_m	8700	50.5	172244	31.8	274016	
328.fma3d_m	4600	44.5	103369	44.5	103369	
330.art_m	6400	15.9	403712	14.5	440361	
332.ammp_m	7000	81.3	86095	81.0	86407	

Hardware

CPU: POWER6
 CPU MHz: 5000
 FPU: Integrated
 CPU(s) enabled: 64 cores, 32 chips, 2 cores/chip, 2 threads/core
 CPU(s) orderable: 8,16,24,32,40,48,56,64 cores
 Primary Cache: 64 KB I + 64 KB D on chip per core
 Secondary Cache: 4 MB I+D on chip per core
 L3 Cache: 32 MB I+D off chip per chip
 Other Cache: None
 Memory: 512 GB (256x2 GB) DDR2 667 MHz
 Disk Subsystem: 4x146 GB SCSI 15K RPM
 Other Hardware: None

Software

OpenMP Threads: 128
 Parallel: OpenMP
 Operating System: Red Hat
 Red Hat Enterprise Linux Server release 5.2
 Compiler: IBM XL C/C++ Advanced Edition for Linux, V9.0
 IBM XL Fortran Advanced Edition for Linux, V11.1
 Updated with the Mar2008 PTF.
 Other Software: IBM Engineering and Scientific Subroutine Library
 for Linux on POWER, Version 4.3.1.1
 File System: ext3
 System State: Multi-User

Notes/Tuning Information

Portability Flags Variables

-qfixed used in: 310.wupwise_m, 312.swim_m, 314.mgrid_m, 316.applu_m, 324.apsi_m
 -qfixed=80 used in: 318.galgel_m
 -qsuffix=f=f90 used in: 318.galgel_m 326.gafort_m, 328.fma3d_m

Base Flags

C: -O5 -q64 -qsmp=omp
 FORTRAN: -O5 -q64 -qsmp=omp

Base & Peak Environment Flags:

ENV_OMP_NUM_THREADS = 128
 ENV_OMP_DYNAMIC=FALSE
 ENV_XLSMPOPTS=SPINS=0:YIELDS=0:STACK=8000000:STARTPROC=0:STRIDE=1
 ENV_XLFRTEOPTS=intrinthds=1

Peak sources:

SPEC OMPL2001 source for 32bit systems modified for SPEC OMPM2001 used
 with 312.swim_m, 316.applu_m, 320.quake_m, 326.gafort_m

Peak Flags

-qsmp=omp used in all cases



OMPM2001 Result

Copyright 1999-2008, Standard Performance Evaluation Corporation

IBM Corporation
IBM Power 595 (5.0 GHz, 64 core, Red Hat)

SPECompMpeak2001 = 242116
SPECompMbase2001 = 172311

SPEC license #HPG0005 | Tested by: IBM | Test site: Austin, TX | Test date: Jun-2008 | Hardware Avail: May-2008 | Software Avail: May-2008

Notes/Tuning Information (Continued)

```

310.wupwise_m      basepeak = 1
312.swim_m:        -O3 -q32 -qhot=arraypad -Q -qpdf1/pdf2
                   ENV_XL SMP_OPTS=SPINS=0:YIELDS=0:STACK=8000000:STARTPROC=0:STRIDE=2
                   ENV_OMP_NUM_THREADS = 64
314.mgrid_m:       -O5 -q64
                   ENV_XL SMP_OPTS=SPINS=0:YIELDS=0:STACK=8000000:STARTPROC=0:STRIDE=2
                   ENV_OMP_NUM_THREADS = 64
316.applu_m:       -O4 -q64
318.galgel_m:      -O4 -q32 -qessl
                   -B/usr/share/libhugetlbfs/ -tl -Wl,--hugetlbfs-link=BDT
                   ENV_XL SMP_OPTS=SPINS=0:YIELDS=0:STACK=8000000:STARTPROC=0:STRIDE=2
                   ENV_OMP_NUM_THREADS = 64
                   EXTRA_LIBS=-lesslsm
                   ENV_HUGETLB_MORECORE=yes
320.equake_m:      -O5 -q64 -qpdf1/pdf2 -qhot=arraypad -Q
324.apsi_m:         basepeak = 1
326.gafort_m:      -O5 -q32 -qhot=arraypad
328.fma3d_m:       basepeak = 1
330.art_m:         -O3 -q64 -qhot=arraypad -Q
332.ammp_m:        -O4 -q64 -qhot=arraypad -Q
                   ENV_HUGETLB_MORECORE=yes
                   ENV_LD_PRELOAD=libhugetlbfs.so

```

```

C:                IBM XL C for Linux invoked as xlc_r
Fortran 90:       IBM XL Fortran for Linux invoked as xlf90_r

```

Use flags-description file IBM-20080408-Linux.txt
kernel release 2.6.18-92.el5.

ulimit -s (stack) set to unlimited.

System in normal architected mode

Large pages reserved as follows by root user:
echo 800 > /proc/sys/vm/nr_hugepages

System configured with libhugetlbfs library for application access to large pages