OMPM2001 Result

Copyright 1999-2008, Standard Performance Evaluation Corporation

Intel Corporation
Intel SR1600UR

SPECompMpeak2001 = 54249

SPECompMbase2001 = 51510

SPEC license #: HPG0013 | Tested by: Intel Corporation | Test site: -- | Test date: Feb-2010 | Hardware Avail: Mar-2010 | Software Avail: Feb-2010

Benchmark	Reference Time	Base Runtime	Base Ratio	Peak Runtime	Peak Ratio
310.wupwise_m	6000	70.8	84794	70.8	84794
312.swim_m	6000	153	39216	134	44842
314.mgrid_m	7300	204	35843	188	38890
316.applu_m	4000	117	34063	118	34004
318.galgel_m	5100	114	44744	108	47094
320.equake_m	2600	55.4	46958	48.5	53606
324.apsi_m	3400	63.0	53947	63.3	53748
326.gafort_m	8700	137	63672	128	67784
328.fma3d_m	4600	113	40720	101	45615
330.art_m	6400	48.3	132542	48.3	132542
332.ammp_m	7000	163	42829	163	42829



Hardware

CPU:	Intel(R) Xeon(R) Processor X5680
CPU MHz:	3330
FPU:	Integrated
CPU(s) enabled:	12 cores, 2 chips, 6 cores/chip, 2 threads/core
CPU(s) orderable:	1,2
Primary Cache:	32KB I + 32KB D on chip per core
Secondary Cache:	256KB I+D on chip per core
L3 Cache:	12MB I+D on chip per chip
Other Cache:	N/A
Memory:	24 GB (RDIMM 6x4-GB 1333 MHz)
Disk Subsystem:	Seagate 500 GB ST300655SS
Other Hardware:	

Software

OpenMP Threads:	24
Parallel:	OpenMP
Operating System:	Red Hat EL 5.2, kernel 2.6.18-85
Compiler:	Intel C/C++ Compiler 11.1.059 for Linux Intel FORTRAN Compiler 11.1.059 for Linux GNU C Compiler 4.1.2 20070115
File System:	Linux ext3
System State:	Default

Notes/Tuning Information

```
================================================================================
BIOS settings notes:
  Intel Hyper-Threading Technology (SMT): Enabled
  Intel Turbo Boost Technology (Turbo)  : Disabled
================================================================================
Portability Flags:
  318.galgel_m: -FI -132
Extra Flags:
  330.art_m: -DINTS_PER_CACHELINE=16 -DDBLS_PER_CACHELINE=8
  331.art_l: -DINTS_PER_CACHELINE=16 -DDBLS_PER_CACHELINE=8
  all: -gcc-name=/usr/bin/gcc
================================================================================
General Notes and Enviroment variables
  export KMP_LIBRARY=turnaround
  export KMP_STACKSIZE=31M
  export KMP_BLOCKTIME=infinite
  export OMP_DYNAMIC=FALSE
  export OMP_NUM_THREADS=24
  ONESTEP=yes
  ulimit -s 64000

For compiler/openmp flags description please refer:
Intel-ic11.1-intel64-linux-flags-file-Feb-25-2010.html
```

Notes/Tuning Information (Continued)

```
Base optimization flags and Enviroment variables:
================================================================================
Medium:
  OPTIMIZE  = -O3 -xSSE4.2 -ipo1 -openmp
  export KMP_AFFINITY=scatter,1

Peak optimization flags and Enviroment variables:
================================================================================
Medium:
  OPTIMIZE  = -O3 -xSSE4.2 -ipo1 -openmp -rcd
  export KMP_AFFINITY=compact,1

Peak per-benchmark optimization flags and Enviroment variables:
================================================================================
310.wupwise_m
  basepeak=yes

================================================================================
312.swim_m
  OPTIMIZE=-O3 -xSSE4.2 -ipo1 -openmp -opt-streaming-stores always -align -rcd
  srcalt = ompl.32
  export OMP_NUM_THREADS=12

================================================================================
314.mgrid_m
  OPTIMIZE=-O3 -xSSE4.2 -ipo1 -openmp -align -rcd
  export OMP_NUM_THREADS=12

================================================================================
316.applu_m
  basepeak=yes

================================================================================
318.galgel_m
  export OMP_NUM_THREADS=12

================================================================================
320.equake_m
  export OMP_NUM_THREADS=12

================================================================================
324.appsi_m
  export OMP_NUM_THREADS=12

================================================================================
326.gafort_m
  srcalt = ompl.32

================================================================================
328.fma3d_m
  FOPTIMIZE=-no-prec-sqrt -fp-model fast=2
  srcalt = ompl.32

================================================================================
330.art_m
```

Notes/Tuning Information (Continued)

```
  basepeak=yes

==============================================================================
332.ammp_m
  basepeak=yes
```