



# CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

**Dell**  
Precision WorkStation 530 (2.6 GHz Xeon)

SPECint\_rate2000 = 18.8  
SPECint\_rate\_base2000 = 18.0

SPEC license #: 55 | Tested by: Dell, Round Rock, TX | Test date: Sep-2002 | Hardware Avail: Sep-2002 | Software Avail: Jun-2002

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	2	154	21.1	2	134	24.2
175.vpr	2	335	9.70	2	313	10.4
176.gcc	2	148	17.3	2	148	17.3
181.mcf	2	484	8.63	2	484	8.63
186.crafty	2	103	22.5	2	102	22.7
197.parser	2	228	18.3	2	222	18.8
252.eon	2	115	26.2	2	97.9	30.8
253.perlbnk	2	158	26.4	2	158	26.4
254.gap	2	110	23.1	2	105	24.3
255.vortex	2	150	29.3	2	149	29.7
256.bzip2	2	256	13.6	2	253	13.8
300.twolf	2	477	14.6	2	466	14.9

### Hardware

CPU: Intel Xeon (400 MHz system bus)  
CPU MHz: 2600  
FPU: Integrated  
CPU(s) enabled: 2 cores, 2 chips, 1 core/chip  
CPU(s) orderable: 1,2  
Parallel: No  
Primary Cache: 12K(I) micro-ops + 8KB(D) on chip  
Secondary Cache: 512KB(I+D) on chip  
L3 Cache: N/A  
Other Cache: N/A  
Memory: 2 x 256MB PC800-45 ECC RDRAM  
Disk Subsystem: 1 x 18GB Fujitsu Limited 10K U160  
Other Hardware:

### Software

Operating System: Windows XP Professional  
Compiler: Intel C++ Compiler 6.0 (020423Z)  
Microsoft Visual Studio .NET (7.0.9466)  
MicroQuill SmartHeap Library 6.01  
File System: NTFS  
System State: Default

## Notes/Tuning Information

### PORTABILITY FLAGS

176.gcc: -Dalloca=\_alloca -F10000000  
186.crafty: -DNT\_i386  
253.perlbnk: -DSPEC\_CPU2000\_NTOS -DPERLDLL -MT  
254.gap: -DSYS\_HAS\_CALLOC\_PROTO -DSYS\_HAS\_MALLOC\_PROTO

### FEEDBACK-DIRECTED OPTIMIZATION

FDO: PASS1= -Qprof\_gen PASS2= -Qprof\_use

### BASE TUNING

C: -Qipo -QxW +FDO shlW32M.lib  
C++: -QxW -GX -GR +FDO

### PEAK TUNING

164.gzip: -Qipo -QxW -O3 +FDO  
175.vpr: -Qipo -QxW -O3 +FDO  
176.gcc: -Qipo -QxW -O3 +FDO  
181.mcf: -Qipo -QxW -O3 +FDO shlW32M.lib  
186.crafty: -Qipo -QxW -O3 +FDO  
197.parser: -Qipo -QxW -O3 +FDO  
252.eon: -Qipo -QxW -O3 +FDO  
253.perlbnk: -Qipo -QxW +FDO shlW32M.lib  
254.gap: -Qipo -QaxW -O3 +FDO



# CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Dell  
Precision WorkStation 530 (2.6 GHz Xeon)

SPECint\_rate2000 = 18.8  
SPECint\_rate\_base2000 = 18.0

SPEC license #: 55 | Tested by: Dell, Round Rock, TX | Test date: Sep-2002 | Hardware Avail: Sep-2002 | Software Avail: Jun-2002

## Notes/Tuning Information (Continued)

```
255.vortex: -Qwp_ipo -QxW -O3 -Oa +FDO
256.bzip2:  -Qipo -QxW -O3
300.twolf:  -Qipo -QxW -O3 -Oa shlw32M.lib
EXTRA LIBRARIES
shlw32M.lib: MicroQuill SmartHeap Library 6.01
              www.microquill.com
```