



# CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation


## Intel(R) Corporation

Intel(R) D955XCV motherboard( 3.20 GHz, Intel(R) Pentium(R) processor Extreme Edition supporting Hyper-Threading Technology)

SPECint\_rate2000 = 33.3

SPECint\_rate\_base2000 = 33.1

SPEC license #: 13 | Tested by: Intel(R) Corporation | Test date: Mar-2005 | Hardware Avail: May-2005 | Software Avail: Sep-2004



### Hardware

CPU: Intel(R) Pentium(R) processor Extreme Edition supporting Hyper-Threading Technology (3.20 GHz, 800 MHz bus)  
 CPU MHz: 3200  
 FPU: Integrated  
 CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip (Hyper-Threading Technology enabled)  
 CPU(s) orderable: 1  
 Parallel: No  
 Primary Cache: 12k micro-ops I + 16KBD per core  
 Secondary Cache: 1MB(I+D) per core  
 L3 Cache: N/A  
 Other Cache: N/A  
 Memory: 1 GB (2 512MB Micron MT16HTF6464AY-667B3 DDR2 667 CL5-5-5 DIMMs)  
 Disk Subsystem: Seagate ST3160023AS 160 GB Serial ATA (7200 RPM, 8MB cache)  
 Other Hardware: N/A

### Software

Operating System: Windows XP Professional SP2  
 Compiler: Intel(R) C++ Compiler 8.1 Build 20040802Z  
 Microsoft Visual Studio .Net 2002(for libraries)  
 SmartHeap Library Version 6.0 from <http://www.microquill.com/>  
 File System: NTFS  
 System State: Default

## Notes/Tuning Information

```
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use
Base tuning for C programs: -fast +FDO shlw32M.lib
Base tuning for C++ programs: -fast -Qcxx_features +FDO
Portability flags:
176.gcc: -Dalloca=_alloca /F10000000
186.crafty: -DNT_i386
253.perlbnk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO
Peak tuning:
164.gzip: -fast -Qansi_alias -Oa +FDO
175.vpr: -fast -Qansi_alias +FDO
176.gcc: basepeak=yes
181.mcf: basepeak=yes
186.crafty: -fast -Qansi_alias -Oa +FDO
197.parser: -fast -Qansi_alias +FDO
252.eon: -fast +FDO
253.perlbnk: -fast -Qansi_alias +FDO shlw32M.lib
254.gap: basepeak=yes
255.vortex: basepeak=yes
256.bzip2: -fast -Oa -Qunroll1 +FDO
```



# CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Intel(R) Corporation

Intel(R) D955XCV motherboard( 3.20 GHz, Intel(R) Pentium(R) processor Extreme Edition supporting Hyper-Threading Technology)

SPECint\_rate2000 = 33.3

SPECint\_rate\_base2000 = 33.1

SPEC license #: 13 | Tested by: Intel(R) Corporation | Test date: Mar-2005 | Hardware Avail: May-2005 | Software Avail: Sep-2004

## Notes/Tuning Information (Continued)

300.twolf: -fast -O3 +FDO shlw32M.lib

Tested systems can be used with Shin-G ATX case, Antec NeoPower 480W power supply

The system bus runs at 800 MHz

The tested system has a PCIe graphics card installed