



# CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

## IBM Corporation

IBM eServer xSeries 336 (2.8 GHz Xeon, 2MB L2 Cache)

SPECint2000 = 1387

SPECint\_base2000 = 1380

SPEC license #: 11 | Tested by: IBM Corporation | Test date: Jul-2005 | Hardware Avail: Sep-2005 | Software Avail: Jun-2005

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	
164.gzip	1400	151	925	150	933	
175.vpr	1400	148	948	144	973	
176.gcc	1100	67.4	1631	67.4	1631	
181.mcf	1800	107	1687	107	1688	
186.crafty	1000	96.3	1039	96.6	1035	
197.parser	1800	155	1165	154	1169	
252.eon	1300	73.8	1761	74.1	1754	
253.perlbmk	1800	108	1665	107	1675	
254.gap	1100	73.1	1505	71.4	1541	
255.vortex	1900	78.1	2432	78.1	2434	
256.bzip2	1500	142	1054	142	1056	
300.twolf	3000	209	1438	209	1437	

### Hardware

CPU: Intel Xeon 2.8 GHz (800 MHz system bus)  
 CPU MHz: 2800  
 FPU: Integrated  
 CPU(s) enabled: 1 core, 1 chip, 1 core/chip (Hyper-Threading Technology disabled)  
 CPU(s) orderable: 1  
 Parallel: No  
 Primary Cache: 12K(I) micro-ops + 16KB(D) on chip  
 Secondary Cache: 2048KB(I+D) on chip  
 L3 Cache: N/A  
 Other Cache: N/A  
 Memory: 8 x 512 MB ECC PC2-3200 Single Rank  
 Disk Subsystem: 73GB SCSI 15K RPM  
 Other Hardware:

### Software

Operating System: Windows Server 2003 Standard Edition  
 Compiler: Intel C/C++ Compiler 9.0 (20050624Z) for 32-bit applications  
 Intel Fortran Compiler 9.0 (20050624Z) for 32-bit applications  
 Microsoft Visual Studio .NET 13.0.9466 (for libraries)  
 MicroQuill Smartheap Library 7.30  
 File System: NTFS  
 System State: Default

## Notes/Tuning Information

### GENERAL

ONESTEP=yes  
 +FDO: PASS1=-Qprof\_gen PASS2=-Qprof\_use

### PORTABILITY FLAGS

176.gcc: -Dalloca=\_alloca /F10000000  
 186.crafty: -DNT\_i386  
 252.eon: srcalt=stdcpp  
 253.perlbmk: -DSPEC\_CPU2000\_NTOS -DPERLDLL /MT  
 254.gap: -DSYS\_HAS\_CALLOC\_PROTO -DSYS\_HAS\_MALLOC\_PROTO

### BASE TUNING

C: -fast -Qansi\_alias +FDO shlw32M.lib  
 C++: -fast -Qcxx\_features +FDO

### PEAK TUNING

164.gzip: -fast +FDO  
 175.vpr: -fast +FDO  
 176.gcc: basepeak=yes  
 181.mcf: -fast +FDO shlw32M.lib  
 186.crafty: -fast -Oa +FDO shlw32M.lib  
 197.parser: -fast +FDO  
 252.eon: -fast +FDO



# CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM Corporation

IBM eServer xSeries 336 (2.8 GHz Xeon, 2MB L2 Cache)

SPECint2000 = 1387

SPECint\_base2000 = 1380

SPEC license #: 11 | Tested by: IBM Corporation | Test date: Jul-2005 | Hardware Avail: Sep-2005 | Software Avail: Jun-2005

## Notes/Tuning Information (Continued)

```
253.perlbnk: -fast -Oa +FDO shlw32M.lib
254.gap:      -fast +FDO
255.vortex   -fast +FDO shlw32M.lib
256.bzip2:   -fast -Qunroll1 -Oa +FDO shlw32M.lib
300.twolf:   -fast +FDO shlw32M.lib
EXTRA LIBRARIES
shlw32M.lib: MicroQuill SmartHeap Library 7.1
              www.microquill.com
```