



# CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

## Acer Incorporated

Acer Altos R520 (1.6 GHz Intel Xeon Processor 5110)

SPECint\_rate2000 = 36.0

SPECint\_rate\_base2000 = 36.0

SPEC license #: 97 | Tested by: Acer Incorporated | Test date: Jul-2006 | Hardware Avail: Nov-2006 | Software Avail: Mar-2006

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	2	143	22.6	2	143	22.6
175.vpr	2	123	26.4	2	121	26.9
176.gcc	2	62.7	40.7	2	62.7	40.7
181.mcf	2	107	39.0	2	107	39.0
186.crafty	2	68.5	33.9	2	68.5	33.9
197.parser	2	145	28.8	2	145	28.9
252.eon	2	63.1	47.8	2	62.4	48.3
253.perlbnk	2	95.1	43.9	2	95.6	43.7
254.gap	2	69.9	36.5	2	69.9	36.5
255.vortex	2	73.8	59.7	2	73.8	59.7
256.bzip2	2	133	26.2	2	133	26.2
300.twolf	2	166	42.0	2	166	42.0

### Hardware

CPU: Intel Xeon Processor 5110 (1.6 GHz, 4MB L2, 1066MHz system bus)  
 CPU MHz: 1600  
 FPU: Integrated  
 CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip  
 CPU(s) orderable: 1,2  
 Parallel: No  
 Primary Cache: 32KB(I) + 32KB(D) on chip, per core  
 Secondary Cache: 4096KB(I+D) on chip (per chip), shared  
 L3 Cache: N/A  
 Other Cache: N/A  
 Memory: 8 x 2048MB ECC FB-DIMM DDR2-667  
 Disk Subsystem: 1 x 73GB 10000RPM SAS HDD  
 Other Hardware:

### Software

Operating System: Microsoft Windows Server 2003 Enterprise Edition (Build 3790), Service Pack 1  
 Compiler: Intel C++ Compiler 9.1 Build 20060323Z for IA32  
 Microsoft Visual Studio .Net 2003 (7.1.3091, for libraries)  
 shlw32M.lib is SmartHeap Library Version 7.4 from http://www.microquill.com/  
 File System: NTFS  
 System State: Default

## Notes/Tuning Information

```
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use
Base tuning for C programs: -fast +FDO shlw32M.lib
Base tuning for C++ programs: -fast -Qcxx_features +FDO shlw32M.lib
Portability flags:
176.gcc: -Dalloca=_alloca /F10000000
186.crafty: -DNT_i386
253.perlbnk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO
Peak tuning:
164.gzip: basepeak=yes
175.vpr: -fast -Qansi_alias +FDO
176.gcc: basepeak=yes
181.mcf: basepeak=yes
186.crafty: basepeak=yes
197.parser: -fast -Qansi_alias +FDO
252.eon: -fast +FDO
253.perlbnk: -fast -Qansi_alias +FDO shlw32M.lib
254.gap: basepeak=yes
255.vortex: basepeak=yes
256.bzip2: -fast -Oa -Qunroll1 +FDO
```



# CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

**Acer Incorporated**  
Acer Altos R520 (1.6 GHz Intel Xeon Processor 5110)

SPECint\_rate2000 = 36.0  
SPECint\_rate\_base2000 = 36.0

SPEC license #: 97 | Tested by: Acer Incorporated | Test date: Jul-2006 | Hardware Avail: Nov-2006 | Software Avail: Mar-2006

## Notes/Tuning Information (Continued)

300.twolf: -fast +FDO shlw32M.lib

This result was measured on the Acer Alto R720.  
The Altos R520 and Altos R720 are electronically equivalent.