



# CINT2000 Result

Copyright ©1999-2007, Standard Performance Evaluation Corporation

## IBM Corporation

IBM BladeCenter HS21 XM (2.33 GHz Xeon E5345, 8MB L2 Cache)

SPECint2000 = --

SPECint\_base2000 = 2375

SPEC license #: 11 Tested by: IBM Corporation Test date: Jan-2007 Hardware Avail: Feb-2007 Software Avail: Mar-2006

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	1000 2000 3000 4000			
164.gzip	1400	97.0	1443			[Bar chart showing ratio]			
175.vpr	1400	80.8	1733			[Bar chart showing ratio]			
176.gcc	1100	46.6	2362			[Bar chart showing ratio]			
181.mcf	1800	48.5	3711			[Bar chart showing ratio]			
186.crafty	1000	46.2	2165			[Bar chart showing ratio]			
197.parser	1800	100	1799			[Bar chart showing ratio]			
252.eon	1300	42.9	3031			[Bar chart showing ratio]			
253.perlbmk	1800	63.8	2822			[Bar chart showing ratio]			
254.gap	1100	47.8	2299			[Bar chart showing ratio]			
255.vortex	1900	47.5	3996			[Bar chart showing ratio]			
256.bzip2	1500	83.9	1787			[Bar chart showing ratio]			
300.twolf	3000	112	2691			[Bar chart showing ratio]			

### Hardware

CPU: Intel Xeon processor E5345 (2.33 GHz, 1333 MHz bus)  
CPU MHz: 2333  
FPU: Integrated  
CPU(s) enabled: 8 cores, 2 chips, 4 cores/chip  
CPU(s) orderable: 1, 2  
Parallel: No  
Primary Cache: 32KB(I) + 32KB(D) on chip (per core)  
Secondary Cache: 8MB(I+D) on chip, per chip (4MB shared per 2 cores)  
L3 Cache: N/A  
Other Cache: N/A  
Memory: 8 x 2048 MB ECC PC2-5300F  
Disk Subsystem: 73GB SAS 10K RPM  
Other Hardware:

### Software

Operating System: Microsoft Windows Server 2003 Enterprise x64 Edition + SP1 (64-bit)  
Compiler: Intel C++ Compiler 9.1 for 32-bit applications  
Build 20060323Z  
Microsoft Visual Studio 2005(for libraries)  
SmartHeap Library Version 8.0 from <http://www.microquill.com/>  
File System: NTFS  
System State: Default

## Notes/Tuning Information

```
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use
Base tuning for C programs: -fast +FDO shlw32M.lib
Base tuning for C++ programs: -fast -Qcxx_features +FDO shlw32M.lib
Portability flags:
176.gcc: -Dalloca=_alloca /F10000000
186.crafty: -DNT_i386
252.eon: -DHAS_ERRLIST
253.perlbmk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO
```