



SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

PowerEdge 2900 (Intel Xeon processor E5335, 2.00 GHz)

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 69.0

CPU2006 license: 55


Test date: Mar-2007

Test sponsor: Dell Inc.

Hardware Availability: Dec-2006

Tested by: Dell Inc.

Software Availability: Nov-2006



Hardware

CPU Name: Intel Xeon E5335
CPU Characteristics: 1333 MHz Bus Speed
CPU MHz: 2000
FPU: Integrated
CPU(s) enabled: 8 cores, 2 chips, 4 cores/chip
CPU(s) orderable: 1,2 chips
Primary Cache: 32 KB I + 32 KB D on chip per core
Secondary Cache: 8 MB I+D on chip per chip, 4 MB shared / 2 cores
L3 Cache: None
Other Cache: None
Memory: 16 GB (8 x 2 GB 667MHz CL5 DDR2 FB-DIMM SDRAM)
Disk Subsystem: 1 x 73 GB SAS 15k RPM
Other Hardware: None

Software

Operating System: Microsoft Windows Server 2003 Enterprise x64 Edition + SP1 (64-bit)
Compiler: Intel C++ Compiler 9.1 for IA32 (20061103Z)
Microsoft Visual Studio 2005
Auto Parallel: No
File System: NTFS
System State: Default
Base Pointers: 32-bit
Peak Pointers: Not Applicable
Other Software: MicroQuill SmartHeap Library 8.0



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint rate2006 = Not Run

PowerEdge 2900 (Intel Xeon processor E5335, 2.00 GHz)

SPECint_rate_base2006 = 69.0

CPU2006 license: 55

Test date: Mar-2007

Test sponsor: Dell Inc.

Hardware Availability: Dec-2006

Tested by: Dell Inc.

Software Availability: Nov-2006

Results Table

| Benchmark | Base | | | | | | | Peak | | | | | | |
|----------------|--------|-------------|-------------|-------------|-------------|-------------|-------------|--------|---------|-------|---------|-------|---------|-------|
| | Copies | Seconds | Ratio | Seconds | Ratio | Seconds | Ratio | Copies | Seconds | Ratio | Seconds | Ratio | Seconds | Ratio |
| 400.perlbench | 8 | 710 | 110 | 709 | 110 | 708 | 110 | | | | | | | |
| 401.bzip2 | 8 | 1226 | 63.0 | 1226 | 63.0 | 1233 | 62.6 | | | | | | | |
| 403.gcc | 8 | 1930 | 33.4 | 1933 | 33.3 | 1938 | 33.2 | | | | | | | |
| 429.mcf | 8 | 1115 | 65.4 | 1117 | 65.3 | 1116 | 65.4 | | | | | | | |
| 445.gobmk | 8 | 834 | 101 | 834 | 101 | 834 | 101 | | | | | | | |
| 456.hmmer | 8 | 1153 | 64.7 | 1153 | 64.7 | 1154 | 64.7 | | | | | | | |
| 458.sjeng | 8 | 996 | 97.2 | 996 | 97.2 | 996 | 97.2 | | | | | | | |
| 462.libquantum | 8 | 5733 | 28.9 | 5740 | 28.9 | 5739 | 28.9 | | | | | | | |
| 464.h264ref | 8 | 1081 | 164 | 1082 | 164 | 1083 | 164 | | | | | | | |
| 471.omnetpp | 8 | 937 | 53.4 | 937 | 53.4 | 937 | 53.3 | | | | | | | |
| 473.astar | 8 | 968 | 58.0 | 968 | 58.0 | 967 | 58.1 | | | | | | | |
| 483.xalancbmk | 8 | 663 | 83.3 | 663 | 83.2 | 663 | 83.3 | | | | | | | |

Results appear in the order in which they were run. **Bold underlined** text indicates a median measurement.

Platform Notes

Hardware Prefetcher disabled in BIOS
Adjacent Cache Line Prefetch disabled in BIOS

Base Compiler Invocation

C benchmarks:
 icl -Qc99

C++ benchmarks: icl

Base Portability Flags

403.gcc: -DSPEC_CPU_WIN32
464.h264ref: -DSPEC_CPU_NO_INNTYPES -DWIN32
483.xalancbmk: -Qoption,cpp,--no_wchar_t_keyword

Base Optimization Flags

C benchmarks:

-fast /F512000000 shlw32M.lib

-link /FORCE:MULTIPLE

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

PowerEdge 2900 (Intel Xeon processor E5335, 2.00 GHz)

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 69.0

CPU2006 license: 55

Test sponsor: Dell Inc.

Tested by: Dell Inc.

Test date: Mar-2007

Hardware Availability: Dec-2006

Software Availability: Nov-2006

Base Optimization Flags (Continued)

C++ benchmarks:

```
-fast -Qcxx_features /F512000000 shlw32M.lib  
-link /FORCE:MULTIPLE
```

Base Other Flags

C benchmarks:

```
403.gcc: -Dalloca=_alloca
```

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/dell.cpu2006.ic91.flags.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/dell.cpu2006.ic91.flags.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.

Report generated on Tue Jul 22 11:59:28 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 17 April 2007.