



SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

ProLiant DL380 G5
(1.86 GHz, Intel Xeon processor E5320)

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 67.0

CPU2006 license: 3


Test sponsor: Hewlett-Packard Company

Tested by: Hewlett-Packard Company

Test date: Jun-2007

Hardware Availability: Nov-2006

Software Availability: Jun-2007



Hardware

CPU Name: Intel Xeon E5320
 CPU Characteristics: 1.86 GHz, 2x4 MB L2 shared, 1066 MHz system bus
 CPU MHz: 1860
 FPU: Integrated
 CPU(s) enabled: 8 cores, 2 chips, 4 cores/chip
 CPU(s) orderable: 1,2 chips
 Primary Cache: 32 KB I + 32 KB D on chip per core
 Secondary Cache: 8 MB I+D on chip per chip, 4 MB shared / 2 cores
 L3 Cache: None
 Other Cache: None
 Memory: 8 GB (4x2 GB PC2-5300F CL5)
 Disk Subsystem: 1x72 GB 10 K SAS
 Other Hardware: None

Software

Operating System: SuSE Linux Enterprise Server 10 (x86_64)
 Compiler: kernel 2.6.16.21-0.8-smp
 Auto Parallel: Intel C/C++ Compiler for applications
 File System: running on IA-32; Version 10.0,
 System State: Build 20070426 Package ID: l_cc_p_10.0.023
 Base Pointers: No
 Peak Pointers: ext2
 Other Software: Multi-user run level 3
 32-bit
 Not Applicable
 MicroQuill SmartHeap Library 8.1



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

ProLiant DL380 G5
(1.86 GHz, Intel Xeon processor E5320)

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 67.0

CPU2006 license: 3

Test date: Jun-2007

Test sponsor: Hewlett-Packard Company

Hardware Availability: Nov-2006

Tested by: Hewlett-Packard Company

Software Availability: Jun-2007

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	8	811	96.4	817	95.7	806	97.0							
401.bzip2	8	1376	56.1	1374	56.2	1373	56.2							
403.gcc	8	1048	61.4	1051	61.3	1043	61.7							
429.mcf	8	1535	47.5	1537	47.5	1540	47.4							
445.gobmk	8	895	93.8	897	93.5	896	93.6							
456.hmmer	8	967	77.2	966	77.2	966	77.2							
458.sjeng	8	1116	86.7	1118	86.6	1117	86.7							
462.libquantum	8	4402	37.7	4404	37.6	4403	37.6							
464.h264ref	8	1182	150	1180	150	1181	150							
471.omnetpp	8	1302	38.4	1300	38.4	1301	38.4							
473.astar	8	1179	47.6	1181	47.5	1180	47.6							
483.xalancbmk	8	691	79.9	691	79.9	690	80.0							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Platform Notes

Power Regulator set to Static High Performance Mode in BIOS.

Adjacent Sector Prefetch Disabled in BIOS.

Hardware Prefetch Disabled in BIOS.

taskset utility used to bind CPU(s) to processes

"ulimit -s unlimited" set

binutils updated to version 2.17

Base Compiler Invocation

C benchmarks:
icc

C++ benchmarks:
icpc

Base Portability Flags

400.perlbench: -DSPEC_CPU_LINUX_IA32

462.libquantum: -DSPEC_CPU_LINUX

483.xalancbmk: -DSPEC_CPU_LINUX



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

ProLiant DL380 G5
(1.86 GHz, Intel Xeon processor E5320)

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 67.0

CPU2006 license: 3

Test date: Jun-2007

Test sponsor: Hewlett-Packard Company

Hardware Availability: Nov-2006

Tested by: Hewlett-Packard Company

Software Availability: Jun-2007

Base Optimization Flags

C benchmarks:
-fast

C++ benchmarks:

```
-xT -ipo -O3 -no-prec-div -Wl,-z,muldefs  
-L/compiler/SmartHeap_8_1/lib -lsmartheap
```

Base Other Flags

C benchmarks:

```
403.gcc: -Dalloca=_alloca
```

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/hp-ic10-flags.20090714.02.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/hp-ic10-flags.20090714.02.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.

Report generated on Tue Jul 22 13:24:54 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 24 July 2007.