



SPEC® CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Lenovo Group Limited

(Test Sponsor: Intel Corporation)

SPECfp®2006 =

Not Run

Lenovo ThinkPad T43(Intel Pentium M 750)

SPECfp_base2006 =

7.07

CPU2006 license: 13


Test date: Jun-2007

Test sponsor: Intel Corporation

Hardware Availability: Jun-2007

Tested by: Intel Corporation

Software Availability: Feb-2007



Hardware

CPU Name: Intel Pentium M 750
CPU Characteristics: 1.86 GHz 2MB L2
CPU MHz: 1867
FPU: Integrated
CPU(s) enabled: 1 core, 1 chip, 1 core/chip
CPU(s) orderable: 1 chip
Primary Cache: 32 KB I + 32 KB D on chip per chip
Secondary Cache: 2 MB I+D on chip per chip

Software

Operating System: Windows XP Professional w/ SP2
Compiler: Intel C++ Compiler for IA32 version 9.1
Build no 20060816
Intel Fortran Compiler for IA32 version 9.1
Build no 20060816
Microsoft Visual Studio .Net 2003 (for libraries)
Auto Parallel: No
File System: NTFS
System State: Default

Continued on next page

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Lenovo Group Limited

(Test Sponsor: Intel Corporation)

SPECfp2006 =

Not Run

Lenovo ThinkPad T43(Intel Pentium M 750)

SPECfp_base2006 =

7.07

CPU2006 license: 13

Test date: Jun-2007

Test sponsor: Intel Corporation

Hardware Availability: Jun-2007

Tested by: Intel Corporation

Software Availability: Feb-2007

L3 Cache:	None	Base Pointers:	32-bit
Other Cache:	None	Peak Pointers:	Not Applicable
Memory:	1 GB (2x512 MB Samsung* PC2-4200s DDR2-533 4-4-4-12)	Other Software:	SmartHeap library V7.4 from Microquill
Disk Subsystem:	Hitachi* HTS721010G9 SATA 100GB 7200RPM		
Other Hardware:	None		

Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	1323	10.3	1323	10.3	1319	10.3						
416.gamess	2201	8.90	2200	8.90	2199	8.90						
433.milc	1532	5.99	1531	6.00	1532	5.99						
434.zeusmp	1288	7.07	1287	7.07	1287	7.07						
435.gromacs	1066	6.70	1066	6.70	1065	6.70						
436.cactusADM	1448	8.25	1448	8.25	1448	8.25						
437.leslie3d	1642	5.73	1642	5.72	1645	5.71						
444.namd	1174	6.83	1175	6.83	1174	6.83						
447.dealII	1036	11.0	1036	11.0	1035	11.0						
450.soplex	1171	7.12	1170	7.13	1171	7.12						
453.povray	484	11.0	484	11.0	484	11.0						
454.calculix	2647	3.12	2647	3.12	2647	3.12						
459.GemsFDTD	1815	5.85	1814	5.85	1822	5.82						
465.tonto	1824	5.40	1824	5.40	1824	5.40						
470.lbm	2448	5.61	2447	5.61	2450	5.61						
481.wrf	1372	8.14	1372	8.14	1373	8.14						
482.sphinx3	2281	8.54	2279	8.55	2280	8.55						

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

General Notes

Binaries built on Windows XP Professional w/ SP2
Vista Power Profile set to High Performance

Base Compiler Invocation

C benchmarks:

 icl -Qvc7.1 -Qc99

C++ benchmarks:

 icl -Qvc7.1

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Lenovo Group Limited

(Test Sponsor: Intel Corporation)

SPECfp2006 =

Not Run

Lenovo ThinkPad T43(Intel Pentium M 750)

SPECfp_base2006 =

7.07

CPU2006 license: 13

Test date: Jun-2007

Test sponsor: Intel Corporation

Hardware Availability: Jun-2007

Tested by: Intel Corporation

Software Availability: Feb-2007

Base Compiler Invocation (Continued)

Fortran benchmarks:

ifort

Benchmarks using both Fortran and C:

icl -Qvc7.1 -Qc99 ifort

Base Portability Flags

436.cactusADM: -Qlowercase /assume:underscore

444.namd: -TP

447.dealII: -DDEAL_II_MEMBER_VAR_SPECIALIZATION_BUG
-DBOOST_NO_INTRINSIC_WCHAR_T

453.povray: -DSPEC_CPU_WINDOWS_ICL

454.calculix: -DSPEC_CPU_NOZMODIFIER -Qlowercase

481.wrf: -DSPEC_CPU_WINDOWS_ICL

Base Optimization Flags

C benchmarks:

-QxN -Qipo -O3 -Qprec-div- /F9500000000 shlw32m.lib
-link /FORCE:MULTIPLE

C++ benchmarks:

-QxN -Qipo -O3 -Qprec-div- -Qcxx_features /F9500000000 shlw32m.lib
-link /FORCE:MULTIPLE

Fortran benchmarks:

-QxN -Qipo -O3 -Qprec-div- /F9500000000
-link /FORCE:MULTIPLE

Benchmarks using both Fortran and C:

-QxN -Qipo -O3 -Qprec-div- /F9500000000
-link /FORCE:MULTIPLE

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic91-ia32-flags.20090714.00.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic91-ia32-flags.20090714.00.xml>



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Lenovo Group Limited

(Test Sponsor: Intel Corporation)

SPECfp2006 =

Not Run

Lenovo ThinkPad T43(Intel Pentium M 750)

SPECfp_base2006 =

7.07

CPU2006 license: 13

Test date: Jun-2007

Test sponsor: Intel Corporation

Hardware Availability: Jun-2007

Tested by: Intel Corporation

Software Availability: Feb-2007

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.

Report generated on Tue Jul 22 12:26:03 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 21 August 2007.