



SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM BladeCenter JS12 Express (3.8 GHz, 1 core, RedHat)

SPECint®2006 = 16.1

SPECint_base2006 = 13.6

CPU2006 license: 11


Test sponsor: IBM Corporation

Tested by: IBM Corporation

Test date: Mar-2008

Hardware Availability: May-2008

Software Availability: Nov-2007



Hardware

CPU Name: POWER6
 CPU Characteristics:
 CPU MHz: 3800
 FPU: Integrated
 CPU(s) enabled: 1 core, 1 chip, 2 cores/chip
 CPU(s) orderable: 2 cores
 Primary Cache: 64 KB I + 64 KB D on chip per core
 Secondary Cache: 4 MB I+D on chip per core
 L3 Cache: None
 Other Cache: None
 Memory: 32 GB (8x4 GB) DDR2 667 MHz
 Disk Subsystem: 1x73 GB SAS 15K RPM
 Other Hardware: None

Software

Operating System: Red Hat Enterprise Linux Advanced Platform 5.1 for IBM POWER
 Compiler: IBM XL C/C++ Advanced Edition for Linux, V9.0
 Auto Parallel: No
 File System: ext3
 System State: Multi-User
 Base Pointers: 32-bit
 Peak Pointers: 32/64-bit
 Other Software: -IBM Post-Link Optimization for Linux on POWER, Version 5.4.0-17
 -MicroQuill SmartHeap 8.1



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM BladeCenter JS12 Express (3.8 GHz, 1 core, RedHat)

SPECint2006 = 16.1

SPECint_base2006 = 13.6

CPU2006 license: 11

Test sponsor: IBM Corporation

Tested by: IBM Corporation

Test date: Mar-2008

Hardware Availability: May-2008

Software Availability: Nov-2007

Results Table

| Benchmark | Base | | | | | | Peak | | | | | |
|----------------|--------------------|--------------------|-------------------|--------------------|--------------------|--------------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|
| | Seconds | Ratio | Seconds | Ratio | Seconds | Ratio | Seconds | Ratio | Seconds | Ratio | Seconds | Ratio |
| 400.perlbench | 1085 | 9.00 | 1084 | 9.01 | <u>1085</u> | <u>9.01</u> | 838 | 11.7 | 837 | 11.7 | <u>838</u> | <u>11.7</u> |
| 401.bzip2 | 841 | 11.5 | 841 | 11.5 | <u>841</u> | <u>11.5</u> | 741 | 13.0 | <u>741</u> | <u>13.0</u> | 740 | 13.0 |
| 403.gcc | 657 | 12.3 | 657 | 12.3 | <u>657</u> | <u>12.3</u> | 556 | 14.5 | <u>556</u> | <u>14.5</u> | 555 | 14.5 |
| 429.mcf | 397 | 23.0 | <u>397</u> | <u>23.0</u> | 397 | 23.0 | 380 | 24.0 | 380 | 24.0 | <u>380</u> | <u>24.0</u> |
| 445.gobmk | <u>826</u> | <u>12.7</u> | 826 | 12.7 | 827 | 12.7 | 657 | 16.0 | 658 | 15.9 | <u>658</u> | <u>15.9</u> |
| 456.hammer | 887 | 10.5 | 887 | 10.5 | <u>887</u> | <u>10.5</u> | 705 | 13.2 | 705 | 13.2 | <u>705</u> | <u>13.2</u> |
| 458.sjeng | 1089 | 11.1 | 1089 | 11.1 | <u>1089</u> | <u>11.1</u> | 964 | 12.6 | 963 | 12.6 | <u>963</u> | <u>12.6</u> |
| 462.libquantum | 515 | 40.3 | <u>515</u> | <u>40.3</u> | 515 | 40.3 | <u>370</u> | <u>56.0</u> | 370 | 56.0 | 370 | 56.0 |
| 464.h264ref | <u>1151</u> | <u>19.2</u> | 1151 | 19.2 | 1152 | 19.2 | 895 | 24.7 | <u>895</u> | <u>24.7</u> | 896 | 24.7 |
| 471.omnetpp | <u>688</u> | <u>9.08</u> | 688 | 9.08 | 690 | 9.06 | 648 | 9.65 | <u>648</u> | <u>9.64</u> | 649 | 9.63 |
| 473.astar | 753 | 9.32 | <u>754</u> | <u>9.31</u> | 757 | 9.28 | 638 | 11.0 | <u>637</u> | <u>11.0</u> | 636 | 11.0 |
| 483.xalancbmk | <u>495</u> | <u>13.9</u> | 495 | 13.9 | 495 | 13.9 | 486 | 14.2 | 486 | 14.2 | <u>486</u> | <u>14.2</u> |

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

General Notes

kernel release 2.6.18-53.el5.

See flags file for details on following settings.

ulimit -s (stack) set to 262144.

Large pages reserved as follows by root user:

```
echo 70 > /proc/sys/vm/nr_hugepages
```

System configured with libhugetlbfs library for application access to large pages

Environment variables set before executing benchmarks.

```
export HUGETLB_VERBOSE=0
```

```
export HUGETLB_MORECORE=yes
```

```
export XLFRTLOPTS=intrinths=1
```

Linux booted with the options:

```
maxcpus=1 smt-enabled=off
```

IBM Post-Link Optimization tool used for

```
400.perlbench 401.bzip2 403.gcc 429.mcf 445.gobmk 456.hammer 458.sjeng
```

```
462.libquantum 464.h264ref 473.astar 483.xalancbmk
```

Benchmarks bound to a processor using numactl on the submit command.



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM BladeCenter JS12 Express (3.8 GHz, 1 core,
RedHat)

SPECint2006 = 16.1

SPECint_base2006 = 13.6

CPU2006 license: 11

Test sponsor: IBM Corporation

Tested by: IBM Corporation

Test date: Mar-2008

Hardware Availability: May-2008

Software Availability: Nov-2007

Base Compiler Invocation

C benchmarks:

`xlc -qlanglvl=extc99`

C++ benchmarks:

`x1C`

Base Portability Flags

400.perlbench: `-DSPEC_CPU_LINUX_PPC`
462.libquantum: `-DSPEC_CPU_LINUX`
464.h264ref: `-qchars=signed`
483.xalancbmk: `-DSPEC_CPU_LINUX`

Base Optimization Flags

C benchmarks:

`-O5 -qalias=noansi -qalloca -lhugetlbfs`

C++ benchmarks:

`-O5 -qrtti -lsmartheap`

Base Other Flags

C benchmarks:

`-qipa=noobject -qipa=threads`

C++ benchmarks:

`-qipa=noobject -qipa=threads`

Peak Compiler Invocation

C benchmarks:

`xlc -qlanglvl=extc99`

C++ benchmarks:

`x1C`



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM BladeCenter JS12 Express (3.8 GHz, 1 core, RedHat)

SPECint2006 = 16.1

SPECint_base2006 = 13.6

CPU2006 license: 11

Test sponsor: IBM Corporation

Tested by: IBM Corporation

Test date: Mar-2008

Hardware Availability: May-2008

Software Availability: Nov-2007

Peak Portability Flags

400.perlbench: -DSPEC_CPU_LINUX_PPC
403.gcc: -DSPEC_CPU_LP64
462.libquantum: -DSPEC_CPU_LINUX
464.h264ref: -qchars=signed
483.xalancbmk: -DSPEC_CPU_LINUX

Peak Optimization Flags

C benchmarks:

400.perlbench: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qalias=noansi -lsmartheap
401.bzip2: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -lhugetlbfs
403.gcc: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qalloca -q64 -lhugetlbfs
429.mcf: -Wl,-q -O5 -qnoenablevmx -lhugetlbfs
445.gobmk: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qnoenablevmx -lhugetlbfs
456.hmmmer: Same as 401.bzip2
458.sjeng: Same as 401.bzip2
462.libquantum: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qnoenablevmx -q64 -lhugetlbfs
464.h264ref: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O5 -q64 -lhugetlbfs

C++ benchmarks:

471.omnetpp: -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qrtti -lsmartheap
473.astar: -Wl,-q -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qnoenablevmx -lsmartheap
483.xalancbmk: -Wl,-q -O4 -lsmartheap

Peak Other Flags

C benchmarks:

-qipa=noobject -qipa=threads

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

IBM BladeCenter JS12 Express (3.8 GHz, 1 core, RedHat)

SPECint2006 = 16.1

SPECint_base2006 = 13.6

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: IBM Corporation

Test date: Mar-2008
Hardware Availability: May-2008
Software Availability: Nov-2007

Peak Other Flags (Continued)

C++ benchmarks:
-qipa=noobject -qipa=threads

The flags file that was used to format this result can be browsed at
<http://www.spec.org/cpu2006/flags/IBM-Linux-XL.20090714.html>

You can also download the XML flags source by saving the following link:
<http://www.spec.org/cpu2006/flags/IBM-Linux-XL.20090714.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.
Report generated on Tue Jul 22 16:55:50 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 29 April 2008.