



SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint®2006 = Not Run

PowerEdge T610 (Intel Xeon E5502, 1.86 GHz)

SPECint_base2006 = 17.0

CPU2006 license: 55


Test date: Sep-2009

Test sponsor: Dell Inc.

Hardware Availability: Mar-2009

Tested by: Dell Inc.

Software Availability: May-2009



Hardware

CPU Name: Intel Xeon E5502
 CPU Characteristics:
 CPU MHz: 1867
 FPU: Integrated
 CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip
 CPU(s) orderable: 1,2 chips
 Primary Cache: 32 KB I + 32 KB D on chip per core
 Secondary Cache: 256 KB I+D on chip per core
 L3 Cache: 4 MB I+D on chip per chip
 Other Cache: None
 Memory: 2 GB (2 x 1 GB DDR3-1066 DR RDIMM downclocked to 800 MHz)
 Disk Subsystem: 1 x 73 GB 15000 RPM SAS
 Other Hardware: None

Software

Operating System: Microsoft Windows Server 2008 Enterprise x64 Edition SP2
 Compiler: Intel C++ Compiler for IA-32, Version 11.0 Build 20090131 Package ID: w_eproc_p_11.0.072 Microsoft Visual Studio 2008 SP1
 Auto Parallel: Yes
 File System: NTFS
 System State: Default
 Base Pointers: 32-bit
 Peak Pointers: Not Applicable
 Other Software: MicroQuill SmartHeap Library 8.1



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint2006 = Not Run

PowerEdge T610 (Intel Xeon E5502, 1.86 GHz)

SPECint_base2006 = 17.0

CPU2006 license: 55
Test sponsor: Dell Inc.
Tested by: Dell Inc.

Test date: Sep-2009
Hardware Availability: Mar-2009
Software Availability: May-2009

Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	752	13.0	749	13.0	<u>750</u>	<u>13.0</u>						
401.bzip2	992	9.70	1006	9.60	<u>995</u>	<u>9.70</u>						
403.gcc	510	15.8	501	16.1	<u>501</u>	<u>16.1</u>						
429.mcf	347	26.3	350	26.0	<u>348</u>	<u>26.2</u>						
445.gobmk	<u>795</u>	<u>13.2</u>	796	13.2	795	13.2						
456.hammer	718	13.0	<u>718</u>	<u>13.0</u>	718	13.0						
458.sjeng	<u>854</u>	<u>14.2</u>	854	14.2	854	14.2						
462.libquantum	224	92.5	224	92.5	<u>224</u>	<u>92.5</u>						
464.h264ref	1040	21.3	<u>1041</u>	<u>21.3</u>	1041	21.3						
471.omnetpp	444	14.1	<u>444</u>	<u>14.1</u>	444	14.1						
473.astar	729	9.60	729	9.60	<u>729</u>	<u>9.60</u>						
483.xalancbmk	<u>422</u>	<u>16.4</u>	422	16.4	422	16.3						

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

General Notes

Binaries were built on Windows Vista Business (64-bit)

Base Compiler Invocation

C benchmarks:
icl -Qvc9 -Qstd=c99
C++ benchmarks:
icl -Qvc9

Base Portability Flags

403.gcc: -DSPEC_CPU_WIN32
464.h264ref: -DSPEC_CPU_NO_INTTYPES -DWIN32
483.xalancbmk: -Qoption,cpp,--no_wchar_t_keyword

Base Optimization Flags

C benchmarks:
-QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qparallel
-Qpar-runtime-control -Qvec-guard-write /F512000000

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

SPECint2006 = Not Run

PowerEdge T610 (Intel Xeon E5502, 1.86 GHz)

SPECint_base2006 = 17.0

CPU2006 license: 55

Test date: Sep-2009

Test sponsor: Dell Inc.

Hardware Availability: Mar-2009

Tested by: Dell Inc.

Software Availability: May-2009

Base Optimization Flags (Continued)

C++ benchmarks:

-QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qcxx_features
/F512000000 shlw32m.lib -link /FORCE:MULTIPLE

Base Other Flags

C benchmarks:

403.gcc: -Dalloca=_alloca

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/dell.flags.ic11.0.win.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/dell.flags.ic11.0.win.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.1.

Report generated on Wed Jul 23 04:40:38 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 13 October 2009.