



SPEC[®] CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Oracle Corporation SPARC T3-2

SPECfp[®]_rate2006 = 255

SPECfp_rate_base2006 = 240

CPU2006 license: 6


Test sponsor: Oracle Corporation

Tested by: Oracle Corporation

Test date: Sep-2010

Hardware Availability: Nov-2010

Software Availability: Sep-2010



Hardware

CPU Name: SPARC T3
 CPU Characteristics:
 CPU MHz: 1649
 FPU: Integrated
 CPU(s) enabled: 32 cores, 2 chips, 16 cores/chip, 8 threads/core
 CPU(s) orderable: 1 or 2 chips
 Primary Cache: 16 KB I + 8 KB D on chip per core
 Secondary Cache: 6 MB I+D on chip per chip

Continued on next page

Software

Operating System: Oracle Solaris 10 9/10
 Compiler: Oracle Solaris Studio 12.2
 Auto Parallel: No
 File System: zfs with gzip compression
 System State: Default
 Base Pointers: 32-bit
 Peak Pointers: 32-bit
 Other Software: None



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Oracle Corporation
SPARC T3-2

SPECfp_rate2006 = 255

SPECfp_rate_base2006 = 240

CPU2006 license: 6
Test sponsor: Oracle Corporation
Tested by: Oracle Corporation

Test date: Sep-2010
Hardware Availability: Nov-2010
Software Availability: Sep-2010

L3 Cache: None
Other Cache: None
Memory: 256 GB (32 x 8 GB)
Disk Subsystem: 673 GB (zfs 3 x 2-way mirrors on 6x SAS 300G 10000 RPM)
Other Hardware: None

Results Table

| Benchmark | Base | | | | | | Peak | | | | | | | |
|---------------|--------|--------------|------------|--------------|-------------|--------------|------------|--------|--------------|------------|--------------|------------|--------------|------------|
| | Copies | Seconds | Ratio | Seconds | Ratio | Seconds | Ratio | Copies | Seconds | Ratio | Seconds | Ratio | Seconds | Ratio |
| 410.bwaves | 255 | 11555 | 300 | 11566 | 300 | 11560 | 300 | 255 | 10773 | 322 | 10768 | 322 | 10800 | 321 |
| 416.gamess | 255 | 22108 | 226 | 22111 | 226 | 22143 | 225 | 255 | 22108 | 226 | 22111 | 226 | 22143 | 225 |
| 433.milc | 255 | 7674 | 305 | 7675 | 305 | 7668 | 305 | 255 | 7612 | 308 | 7610 | 308 | 7613 | 307 |
| 434.zeusmp | 255 | 8344 | 278 | 8356 | 278 | 8305 | 279 | 255 | 8253 | 281 | 8333 | 278 | 8214 | 283 |
| 435.gromacs | 255 | 8349 | 218 | 8155 | 223 | 8222 | 221 | 255 | 8349 | 218 | 8155 | 223 | 8222 | 221 |
| 436.cactusADM | 255 | 13022 | 234 | 13013 | 234 | 13094 | 233 | 255 | 13022 | 234 | 13013 | 234 | 13094 | 233 |
| 437.leslie3d | 255 | 15503 | 155 | 15534 | 154 | 15513 | 155 | 192 | 10950 | 165 | 10993 | 164 | 10947 | 165 |
| 444.namd | 255 | 7901 | 259 | 7896 | 259 | 7866 | 260 | 255 | 7904 | 259 | 7833 | 261 | 7864 | 260 |
| 447.dealII | 255 | 7240 | 403 | 7223 | 404 | 7249 | 402 | 255 | 7106 | 411 | 7108 | 410 | 7122 | 410 |
| 450.soplex | 255 | 9667 | 220 | 9664 | 220 | 9670 | 220 | 255 | 9569 | 222 | 9569 | 222 | 9567 | 222 |
| 453.povray | 255 | 3850 | 352 | 3939 | 344 | 3921 | 346 | 255 | 3402 | 399 | 3414 | 397 | 3430 | 396 |
| 454.calculix | 255 | 8304 | 253 | 8207 | 256 | 8217 | 256 | 255 | 8304 | 253 | 8207 | 256 | 8217 | 256 |
| 459.GemsFDTD | 255 | 13640 | 198 | 13621 | 199 | 13624 | 199 | 255 | 13548 | 200 | 13524 | 200 | 13526 | 200 |
| 465.tonto | 255 | 10725 | 234 | 10716 | 234 | 10719 | 234 | 224 | 8519 | 259 | 8524 | 259 | 8533 | 258 |
| 470.lbm | 255 | 39438 | 88.8 | 39429 | 88.9 | 39426 | 88.9 | 32 | 2809 | 157 | 2799 | 157 | 2795 | 157 |
| 481.wrf | 255 | 11389 | 250 | 11351 | 251 | 11408 | 250 | 255 | 11246 | 253 | 11204 | 254 | 11243 | 253 |
| 482.sphinx3 | 255 | 16510 | 301 | 16479 | 302 | 16458 | 302 | 255 | 16317 | 305 | 16289 | 305 | 16286 | 305 |

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Compiler Invocation Notes

Oracle Solaris Studio 12.2 is distributed with mandatory OS patches
118683-05 119963-20 120753-08
Oracle Solaris Studio 12.2 and patches are available at
<http://oracle.com/goto/solarisstudio>

Submit Notes

Processes were bound to cores using "submit" and "pbind". The config file option 'submit' was used in order to accomplish this.



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Oracle Corporation
SPARC T3-2

SPECfp_rate2006 = 255

SPECfp_rate_base2006 = 240

CPU2006 license: 6
Test sponsor: Oracle Corporation
Tested by: Oracle Corporation

Test date: Sep-2010
Hardware Availability: Nov-2010
Software Availability: Sep-2010

Operating System Notes

ulimit -s 131072 was used to limit the space consumed by the stack (and therefore make more space available to the heap).

/etc/system parameters

autoup=600

Causes pages older than the listed number of seconds to be written by fsflush.

tune_t_fsflushr=10

Controls how many seconds elapse between runs of the page flush daemon, fsflush.

lpg_alloc_prefer=1

Indicates that extra effort should be taken to ensure that pages are created in the nearby lgroup (NUMA location).

tsb_rss_factor=128

Suggests that the the size of the TSB (Translation Storage Buffer) may be increased if it is more than 25% (128/512) full. Doing so may reduce TSB traps, at the cost of additional kernel memory.

zfs:zfs_arc_max=0x10000000

zfs:zfs_arc_min=0x10000000

Limits the consumption of memory by the zfs file system cache to 256 MB. (The arc_max sets the maximum cache size; arc_min sets the minimum.)

zfs:zfs_prefetch_disable = 1

Indicates that prefetching is not desired. This setting may be desirable when the file system cache is small.

USB devices were turned off with ILOM command
set /SYS/MB/USB component_state=disabled

The "webconsole" service was turned off using
svcadm disable webconsole

The system had 271 GB of swap space.

Base Compiler Invocation

C benchmarks:

cc

C++ benchmarks:

CC

Fortran benchmarks:

f90

Benchmarks using both Fortran and C:

cc f90



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Oracle Corporation
SPARC T3-2

SPECfp_rate2006 = 255

SPECfp_rate_base2006 = 240

CPU2006 license: 6

Test sponsor: Oracle Corporation

Tested by: Oracle Corporation

Test date: Sep-2010

Hardware Availability: Nov-2010

Software Availability: Sep-2010

Base Optimization Flags

C benchmarks:

```
-g -fast -fma=fused -xipo=2 -xpagesize=4M -xprefetch_level=2  
-xalias_level=std -M /usr/lib/ld/map.bssalign
```

C++ benchmarks:

```
-g0 -library=stlport4 -fast -fma=fused -xipo=2 -xpagesize=4M  
-xprefetch_level=2 -xdepend -xalias_level=compatible  
-M /usr/lib/ld/map.bssalign
```

Fortran benchmarks:

```
-g -fast -fma=fused -xipo=2 -xpagesize=4M -xprefetch_level=2  
-M /usr/lib/ld/map.bssalign
```

Benchmarks using both Fortran and C:

```
-g -fast(cc) -fast(f90) -fma=fused -xipo=2 -xpagesize=4M  
-xprefetch_level=2 -xalias_level=std -M /usr/lib/ld/map.bssalign
```

Base Other Flags

C benchmarks:

```
-xjobs=32 -V -#
```

C++ benchmarks:

```
-xjobs=32 -verbose=diags,version
```

Fortran benchmarks:

```
-xjobs=32 -V -v
```

Benchmarks using both Fortran and C:

```
-xjobs=32 -V -# -v
```

Peak Compiler Invocation

C benchmarks:

```
cc
```

C++ benchmarks:

```
CC
```

Fortran benchmarks:

```
f90
```

Benchmarks using both Fortran and C:

```
cc f90
```



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Oracle Corporation
SPARC T3-2

SPECfp_rate2006 = 255
SPECfp_rate_base2006 = 240

CPU2006 license: 6
Test sponsor: Oracle Corporation
Tested by: Oracle Corporation

Test date: Sep-2010
Hardware Availability: Nov-2010
Software Availability: Sep-2010

Peak Optimization Flags

C benchmarks:

```
433.milc: -g -xprofile=collect:./feedback(pass 1)
-xprofile=use:./feedback(pass 2) -fast -fma=fused
-xpagesize=4M -M /usr/lib/ld/map.bssalign -xipo=2
-xprefetch_level=2 -xprefetch_auto_type=indirect_array_access
-xalias_level=std -fsimple=1
```

```
470.lbm: -g -xprofile=collect:./feedback(pass 1)
-xprofile=use:./feedback(pass 2) -fast -fma=fused
-xpagesize=4M -M /usr/lib/ld/map.bssalign -xprefetch_level=3
-xipo=2 -xrestrict
```

```
482.sphinx3: -g -xprofile=collect:./feedback(pass 1)
-xprofile=use:./feedback(pass 2) -fast -fma=fused
-xpagesize=4M -M /usr/lib/ld/map.bssalign -xinline=
-xprefetch_level=2 -Wc,-Qlp-ol=1 -xrestrict
-xalias_level=strong -fsimple=1 -xlinkopt=2 -lfast
```

C++ benchmarks:

```
444.namd: -g0 -library=stlport4 -xprofile=collect:./feedback(pass 1)
-xprofile=use:./feedback(pass 2) -fast -fma=fused
-xpagesize=4M -xdepend -xalias_level=compatible
-M /usr/lib/ld/map.bssalign -xprefetch_level=1 -xlinkopt=2
```

```
447.deallI: -g0 -library=stlport4 -xprofile=collect:./feedback(pass 1)
-xprofile=use:./feedback(pass 2) -fast -fma=fused
-xpagesize=4M -xdepend -xalias_level=compatible
-M /usr/lib/ld/map.bssalign -xipo=2 -xrestrict
```

```
450.soplex: -g0 -library=stlport4 -fast -fma=fused -xipo=2
-xpagesize=4M -xprefetch=no%auto -xdepend
-xalias_level=compatible -M /usr/lib/ld/map.bssalign
```

```
453.povray: -g0 -library=stlport4 -xprofile=collect:./feedback(pass 1)
-xprofile=use:./feedback(pass 2) -fast -fma=fused
-xpagesize=4M -xdepend -xalias_level=compatible
-M /usr/lib/ld/map.bssalign -xipo=2 -xrestrict -xlinkopt=2
```

Fortran benchmarks:

```
410.bwaves: -g -fast -fma=fused -xipo=2 -xpagesize=4M
-xprefetch_level=3 -M /usr/lib/ld/map.bssalign
```

```
416.gamess: basepeak = yes
```

```
434.zeusmp: -g -fast -fma=fused -xpagesize=4M
-M /usr/lib/ld/map.bssalign -xipo=1
-qoption cg -Qeps:enabled=1 -qoption cg -Qeps:ws=8 -lmopt
```

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Oracle Corporation
SPARC T3-2

SPECfp_rate2006 = 255
SPECfp_rate_base2006 = 240

CPU2006 license: 6
Test sponsor: Oracle Corporation
Tested by: Oracle Corporation

Test date: Sep-2010
Hardware Availability: Nov-2010
Software Availability: Sep-2010

Peak Optimization Flags (Continued)

437.leslie3d: -g -fast -fma=fused -xpagesize_heap=4M
-xpagesize_stack=64K -M /usr/lib/ld/map.bssalign
-xprefetch_level=3 -xprefetch=latx:1.6 -qoption cg -Qlp=1
-qoption cg -Qlp-fa=0 -qoption cg -Qlp-fl=1
-qoption cg -Qlp-av=448 -qoption cg -Qlp-t=4

459.GemsFDTD: -g -fast -fma=fused -xipo=2 -xpagesize=4M
-xprefetch=no%auto -M /usr/lib/ld/map.bssalign

465.tonto: -g -fast -fma=fused -xpagesize=4M
-M /usr/lib/ld/map.bssalign -xipo=2 -lfast

Benchmarks using both Fortran and C:

435.gromacs: basepeak = yes

436.cactusADM: basepeak = yes

454.calculix: basepeak = yes

481.wrf: -g -xprofile=collect:./feedback(pass 1)
-xprofile=use:./feedback(pass 2) -fast(cc) -fast(f90)
-fma=fused -xpagesize=4M -M /usr/lib/ld/map.bssalign
-xlinkopt=2

Peak Other Flags

C benchmarks:
-xjobs=32 -V -#

C++ benchmarks:
-xjobs=32 -verbose=diags,version

Fortran benchmarks:
-xjobs=32 -V -v

Benchmarks using both Fortran and C:
-xjobs=32 -V -# -v

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Oracle-Solaris-Studio12.2-SPARC.20110110.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Oracle-Solaris-Studio12.2-SPARC.20110110.xml>



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Oracle Corporation
SPARC T3-2

SPECfp_rate2006 = 255

SPECfp_rate_base2006 = 240

CPU2006 license: 6

Test sponsor: Oracle Corporation

Tested by: Oracle Corporation

Test date: Sep-2010

Hardware Availability: Nov-2010

Software Availability: Sep-2010

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.1.
Report generated on Wed Jul 23 15:14:10 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 1 February 2011.