



# SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DH61WW motherboard (Intel Pentium G630)

**SPECint\_rate2006 = 59.8**

**SPECint\_rate\_base2006 = 56.0**

CPU2006 license: 13


Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Dec-2011

Hardware Availability: Sep-2011

Software Availability: Sep-2011



**SPECint\_rate\_base2006 = 56.0**

**SPECint\_rate2006 = 59.8**

### Hardware

CPU Name:	Intel Pentium G630
CPU Characteristics:	
CPU MHz:	2700
FPU:	Integrated
CPU(s) enabled:	2 cores, 1 chip, 2 cores/chip
CPU(s) orderable:	1 chip
Primary Cache:	32 KB I + 32 KB D on chip per core
Secondary Cache:	256 KB I+D on chip per core
L3 Cache:	3 MB I+D on chip per chip
Other Cache:	None
Memory:	4 GB (2 x 2 GB 2Rx8 PC3-10600U-9, running at 1066 MHz and CL7)
Disk Subsystem:	1 TB Seagate SATA, 7200 RPM
Other Hardware:	None

### Software

Operating System:	Microsoft Windows 7 Ultimate 6.1.7601 Service Pack 1 Build 7601
Compiler:	C/C++: Version 12.1.0.229 of Intel C++ Studio XE for Windows; Libraries: Version 15.00.30729.01 of Microsoft Visual Studio 2008 Professional SP1
Auto Parallel:	No
File System:	NTFS
System State:	Default
Base Pointers:	32-bit
Peak Pointers:	32/64-bit
Other Software:	SmartHeap Library Version 9.01 from <a href="http://www.microquill.com/">http://www.microquill.com/</a>



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DH61WW motherboard (Intel Pentium G630)

**SPECint\_rate2006 = 59.8**

**SPECint\_rate\_base2006 = 56.0**

CPU2006 license: 13

Test date: Dec-2011

Test sponsor: Intel Corporation

Hardware Availability: Sep-2011

Tested by: Intel Corporation

Software Availability: Sep-2011

## Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	2	474	41.2	<b>474</b>	<b>41.2</b>	473	41.4	2	356	54.8	357	54.8	<b>356</b>	<b>54.8</b>
401.bzip2	2	675	28.6	<b>672</b>	<b>28.8</b>	669	28.8	2	647	29.8	<b>645</b>	<b>30.0</b>	644	30.0
403.gcc	2	347	46.4	348	46.4	<b>347</b>	<b>46.4</b>	2	334	48.2	333	48.4	<b>334</b>	<b>48.2</b>
429.mcf	2	259	70.4	<b>251</b>	<b>72.8</b>	250	73.0	2	249	<b>73.2</b>	250	73.0	249	73.2
445.gobmk	2	530	39.6	530	39.6	<b>530</b>	<b>39.6</b>	2	516	40.6	515	40.8	<b>515</b>	<b>40.8</b>
456.hmmer	2	242	77.2	243	76.8	<b>243</b>	<b>76.8</b>	2	242	77.2	241	77.6	<b>241</b>	<b>77.4</b>
458.sjeng	2	591	41.0	<b>591</b>	<b>41.0</b>	591	41.0	2	576	42.0	574	42.2	<b>575</b>	<b>42.2</b>
462.libquantum	2	109	380	111	374	<b>109</b>	<b>380</b>	2	96.6	429	<b>96.4</b>	<b>430</b>	96.0	432
464.h264ref	2	578	76.6	<b>577</b>	<b>76.8</b>	577	76.8	2	572	77.4	572	77.4	<b>572</b>	<b>77.4</b>
471.omnetpp	2	360	34.8	<b>360</b>	<b>34.8</b>	360	34.8	2	327	<b>38.2</b>	327	38.2	327	38.2
473.astar	2	425	33.0	426	33.0	<b>425</b>	<b>33.0</b>	2	378	37.2	<b>378</b>	<b>37.2</b>	379	37.0
483.xalancbmk	2	241	57.2	<b>241</b>	<b>57.4</b>	241	57.4	2	241	57.2	<b>241</b>	<b>57.4</b>	241	57.4

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Compiler Invocation Notes

ipsxe-comp-vars batch file invoked with ia32

## Submit Notes

Processes were bound to specific processors using the start command with the /affinity switch. The config file option 'submit' was used to generate the affinity mask for each process.

## Platform Notes

```
Sysinfo program C:\SPEC12.1\Docs/sysinfo
$Rev: 6775 $ $Date::: 2011-08-16 #\$ \8787f7622badcf24e01c368b1db4377c
running on ClteE06995A30CB5 Thu Dec 29 17:52:04 2011
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:

<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

```
Trying 'systeminfo'
OS Name      : Microsoft Windows 7 Ultimate
OS Version   : 6.1.7601 Service Pack 1 Build 7601
System Manufacturer: INTEL_
System Model  : DH61WW_
Processor(s) : 1 Processor(s) Installed.
[01]: Intel64 Family 6 Model 42 Stepping 7 GenuineIntel ~2700 Mhz
BIOS Version  : Intel Corp. BEH6110H.86A.0016.2011.0118.1128, 1/18/2011
Total Physical Memory: 4,004 MB
```

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DH61WW motherboard (Intel Pentium G630)

**SPECint\_rate2006 = 59.8**

CPU2006 license: 13

**Test date:** Dec-2011

**Test sponsor:** Intel Corporation

**Hardware Availability:** Sep-2011

**Tested by:** Intel Corporation

**Software Availability:** Sep-2011

## Platform Notes (Continued)

```
Trying 'wmic cpu get /value'
DeviceID      : CPU0
L2CacheSize   : 512
L3CacheSize   : 3072
MaxClockSpeed : 2700
Name          : Intel(R) Pentium(R) CPU G630 @ 2.70GHz
NumberOfCores : 2
NumberOfLogicalProcessors: 2
```

(End of data from sysinfo program)

## Component Notes

Tested systems can be used with Shin-G ATX case,  
PC Power and Cooling 1200W power supply

## General Notes

Binaries compiled on a system with 1x Intel Core i7-860 CPU  
+ 8GB memory using Windows 7 Enterprise 64-bit

## Base Compiler Invocation

C benchmarks:

```
icl -Qvc9 -Qstd=c99
```

C++ benchmarks:

```
icl -Qvc9
```

## Base Portability Flags

```
403.gcc: -DSPEC_CPU_WIN32
464.h264ref: -DWIN32 -DSPEC_CPU_NO_INTTYPES
483.xalancbmk: -Qoption,cpp,--no_wchar_t_keyword
```

## Base Optimization Flags

C benchmarks:

```
-QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch /F512000000
```

C++ benchmarks:

```
-QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qcxx-features
/F512000000 shlw32M.lib           -link /FORCE:MULTIPLE
```



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DH61WW motherboard (Intel Pentium G630)

**SPECint\_rate2006 = 59.8**

CPU2006 license: 13

Test date: Dec-2011

Test sponsor: Intel Corporation

Hardware Availability: Sep-2011

Tested by: Intel Corporation

Software Availability: Sep-2011

## Base Other Flags

C benchmarks:

403.gcc: -Dalloca=\_alloca

## Peak Compiler Invocation

C benchmarks (except as noted below):

icl -Qvc9 -Qstd=c99

456.hmmr: C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229/bin/intel64/icl.exe

458.sjeng: C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229/bin/intel64/icl.exe

462.libquantum: C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229/bin/intel64/icl.exe  
-Qstd=c99

C++ benchmarks (except as noted below):

icl -Qvc9

473.astar: C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229/bin/intel64/icl.exe

## Peak Portability Flags

403.gcc: -DSPEC\_CPU\_WIN32

456.hmmr: -DSPEC\_CPU\_P64

458.sjeng: -DSPEC\_CPU\_P64

462.libquantum: -DSPEC\_CPU\_P64

464.h264ref: -DWIN32 -DSPEC\_CPU\_NO\_INTTYPES

473.astar: -DSPEC\_CPU\_P64

483.xalancbmk: -Qoption,cpp,--no\_wchar\_t\_keyword

## Peak Optimization Flags

C benchmarks:

400.perlbench: -QxSSE4.2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
-Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch  
/F512000000 shlw32M.lib -link /FORCE:MULTIPLE

401.bzip2: -QxSSE4.2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
-Qipo -O3 -Qprec-div- -Qopt-prefetch -Qansi-alias  
/F512000000

Continued on next page



SPEC CINT2006 Result Copyright 2006 SPEC Inc. All rights reserved. Evaluation Committee

Copyright 2006-2014 Standard Performance Evaluation Corporation

<b>Intel Corporation</b> Intel DH61WW motherboard (Intel Pentium G630)	<b>SPECint_rate2006 =</b> 59.8 <b>SPECint_rate_base2006 =</b> 56.0
<b>CPU2006 license:</b> 13 <b>Test sponsor:</b> Intel Corporation <b>Tested by:</b> Intel Corporation	<b>Test date:</b> Dec-2011 <b>Hardware Availability:</b> Sep-2011 <b>Software Availability:</b> Sep-2011

## **Peak Optimization Flags (Continued)**

403.gcc: -Qxsse4 .2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
-Qipo -O3 -Qprec-div- -Qopt-prefetch /F512000000

```
429.mcf: -QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch  
/F512000000
```

```
445.gobmk: -QxSSE4 .2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)  
-Oipo -O2 -Qprec-div- -Qansi-alias /F51200000
```

456.hmmer: -Qauto -ilp32 -QxSSE4.2(pass 2) -Qprof\_gen(pass 1)  
-Qprof\_use(pass 2) -Qipo -O3 -Qprec-div- -Qopt-prefetch  
/F512000000

458.sjeng: -Qauto -ilp32 -Qxsse4.2(pass 2) -Qprof\_gen(pass 1)  
-Qprof\_use(pass 2) -Qipo -O3 -Qprec-div- -Qunroll14  
/F51200000

462.libquantum: -Qauto-ilp32 -QxSSE4.2 -Qipo -O3 -Qprec-div-  
-Qopt-prefetch /F512000000

464.h264ref: -QxSSE4 .2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
-Oipo -O3 -Oprec-div- -Ounroll12 -Oansi-alias /F512000000

## C++ benchmarks:

```
471.omnetpp: -QxSSE4.2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
           -Qipo -O3 -Qprec-div- -Qansi-alias
           -Qopt-ra-region-strategy=block /F512000000 shlw32M.lib
           -link /FORCE:MULTIPLE
```

```
473.astar: -Qauto-ilp32 -QxSSE4.2 -Qipo -O3 -Qprec-div-  
        -Qopt-prefetch /F512000000 shlw64M.lib  
                -link /FORCE:MULTIPLE
```

483.xalancbmk: basepeak = yes

## Peak Other Flags

C benchmarks:

403.gcc: -Dalloca= alloca

```
456.hmmr: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229\compiler\lib\intel64  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib/AMD64  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64
```

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

**SPECint\_rate2006 = 59.8**

Intel DH61WW motherboard (Intel Pentium G630)

**SPECint\_rate\_base2006 = 56.0**

CPU2006 license: 13

Test date: Dec-2011

Test sponsor: Intel Corporation

Hardware Availability: Sep-2011

Tested by: Intel Corporation

Software Availability: Sep-2011

## Peak Other Flags (Continued)

```
458.sjeng: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229/compiler/lib/intel64  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib/AMD64  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64
```

```
462.libquantum: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229/compiler/lib/intel64  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib/AMD64  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64
```

C++ benchmarks:

```
473.astar: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2011 SP1.229/compiler/lib/intel64  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib/AMD64  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 9.0/VC/lib  
          -link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64
```

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic12.1-official-windows.20120117.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic12.1-official-windows.20120117.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.2.

Report generated on Thu Jul 24 02:10:03 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 17 January 2012.