



# SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DQ87PG motherboard (Intel Core i5-4670K)

**SPECint\_rate2006 = 161**

**SPECint\_rate\_base2006 = 154**

CPU2006 license: 13


Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Jun-2014

Hardware Availability: Jul-2013

Software Availability: Oct-2013



Hardware		Software	
CPU Name:	Intel Core i5-4670K	Operating System:	Microsoft Windows 7 Enterprise
CPU Characteristics:	Intel Turbo Boost Technology up to 3.80 GHz		6.1.7601 Service Pack 1 Build 7601
CPU MHz:	3400	Compiler:	C/C++: Version 14.0.1.139 of Intel C++ Studio XE for Windows;
FPU:	Integrated		Libraries: Version 16.00.30319.01 of Microsoft Visual Studio 2010 Professional SP1
CPU(s) enabled:	4 cores, 1 chip, 4 cores/chip	Auto Parallel:	No
CPU(s) orderable:	1 chip	File System:	NTFS
Primary Cache:	32 KB I + 32 KB D on chip per core	System State:	Default
Secondary Cache:	256 KB I+D on chip per core	Base Pointers:	32-bit
L3 Cache:	6 MB I+D on chip per chip	Peak Pointers:	32/64-bit
Other Cache:	None	Other Software:	SmartHeap Library Version 10.0 from <a href="http://www.microquill.com/">http://www.microquill.com/</a>
Memory:	4 GB (2 x 2 GB 1Rx8 PC3-12800U-11)		
Disk Subsystem:	250 GB Seagate SATA HDD, 7200 RPM		
Other Hardware:	None		



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DQ87PG motherboard (Intel Core i5-4670K)

**SPECint\_rate2006 = 161**

**SPECint\_rate\_base2006 = 154**

CPU2006 license: 13

Test date: Jun-2014

Test sponsor: Intel Corporation

Hardware Availability: Jul-2013

Tested by: Intel Corporation

Software Availability: Oct-2013

## Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	4	306	128	<b>304</b>	<b>128</b>	304	129	4	<b>237</b>	<b>165</b>	238	164	237	165
401.bzip2	4	563	68.8	515	74.8	<b>520</b>	<b>74.4</b>	4	<b>507</b>	<b>76.0</b>	509	76.0	501	77.2
403.gcc	4	<b>272</b>	<b>118</b>	273	118	270	119	4	258	125	<b>260</b>	<b>124</b>	260	124
429.mcf	4	<b>360</b>	<b>101</b>	523	69.6	334	109	4	<b>360</b>	<b>101</b>	523	69.6	334	109
445.gobmk	4	<b>375</b>	<b>112</b>	376	112	375	112	4	365	115	363	116	<b>364</b>	<b>115</b>
456.hmmer	4	146	255	145	257	<b>146</b>	<b>256</b>	4	<b>134</b>	<b>278</b>	134	280	135	277
458.sjeng	4	<b>375</b>	<b>129</b>	374	129	378	128	4	<b>376</b>	<b>129</b>	371	130	378	128
462.libquantum	4	52.7	1570	53.1	1560	<b>52.9</b>	<b>1570</b>	4	51.3	1620	<b>51.1</b>	<b>1620</b>	50.8	1630
464.h264ref	4	<b>402</b>	<b>220</b>	402	220	401	221	4	<b>402</b>	<b>220</b>	402	220	401	221
471.omnetpp	4	<b>333</b>	<b>75.2</b>	351	71.2	331	75.6	4	323	77.2	307	81.2	<b>309</b>	<b>81.2</b>
473.astar	4	<b>333</b>	<b>84.4</b>	334	84.0	326	86.0	4	322	87.2	<b>321</b>	<b>87.6</b>	317	88.8
483.xalancbmk	4	145	190	149	185	<b>146</b>	<b>189</b>	4	145	190	149	185	<b>146</b>	<b>189</b>

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Compiler Invocation Notes

To compile these binaries, the Intel Compiler 14.0 was set up to generate 32-bit binaries with the command:

"ipsxe-comp-vars.bat ia32 vs2010" (shortcut provided in the Intel(r) Parallel Studio XE 2013 program folder)

## Submit Notes

Processes were bound to specific processors using the start command with the /affinity switch. The config file option 'submit' was used to generate the affinity mask for each process.

## Platform Notes

```
Sysinfo program C:\BENCHM~1\SPEC14.0\Docs/sysinfo
$Rev: 6775 $ $Date::: 2011-08-16 #\$ \8787f7622badcf24e01c368b1db4377c
running on Clt00224D4FB715 Sun Jun 29 06:52:51 2014
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:  
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

```
Trying 'systeminfo'
OS Name      : Microsoft Windows 7 Enterprise
OS Version   : 6.1.7601 Service Pack 1 Build 7601
System Manufacturer: INTEL_
System Model  : DQ87PG_
Processor(s)  : 1 Processor(s) Installed.
```

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DQ87PG motherboard (Intel Core i5-4670K)

**SPECint\_rate2006 = 161**

CPU2006 license: 13

**Test date:** Jun-2014

Test sponsor: Intel Corporation

**Hardware Availability:** Jul-2013

Tested by: Intel Corporation

**Software Availability:** Oct-2013

## Platform Notes (Continued)

[01]: Intel64 Family 6 Model 60 Stepping 3 GenuineIntel ~3401 Mhz  
BIOS Version : Intel(R) Corp. PGQ8710H.86A.0036.2013.0702.1908, 7/2/2013  
Total Physical Memory: 3,749 MB

```
Trying 'wmic cpu get /value'  
DeviceID      : CPU0  
L2CacheSize   : 1024  
L3CacheSize   : 6144  
MaxClockSpeed : 3401  
Name          : Intel(R) Core(TM) i5-4670K CPU @ 3.40GHz  
NumberOfCores  : 4  
NumberOfLogicalProcessors: 4
```

(End of data from sysinfo program)  
BIOS: SATA mode set to RAID  
Windows Disk Driver: Intel Rapid Storage Technology 12.5.0.1066  
Windows Chipset Driver: Intel Chipset Driver 9.4.0.1027

## Component Notes

Tested systems can be used with Shin-G ATX case,  
PC Power and Cooling 1200W power supply  
Micron MT8JTF25664AZ-1G6 Series Memory DIMMs

## General Notes

Binaries compiled on a system with 1x Intel Core i7-860 CPU  
+ 8GB memory using Windows 7 Enterprise 64-bit

## Base Compiler Invocation

C benchmarks:

```
icl -Qvc10 -Qstd=c99
```

C++ benchmarks:

```
icl -Qvc10
```

## Base Portability Flags

```
403.gcc: -DSPEC_CPU_WIN32  
464.h264ref: -DWIN32 -DSPEC_CPU_NO_INTTYPES  
483.xalancbmk: -Qoption,cpp,--no_wchar_t_keyword
```



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DQ87PG motherboard (Intel Core i5-4670K)

**SPECint\_rate2006 = 161**

**SPECint\_rate\_base2006 = 154**

**CPU2006 license:** 13

**Test sponsor:** Intel Corporation

**Tested by:** Intel Corporation

**Test date:** Jun-2014

**Hardware Availability:** Jul-2013

**Software Availability:** Oct-2013

## Base Optimization Flags

C benchmarks:

```
-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qopt-prefetch /F512000000
```

C++ benchmarks:

```
-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qcxx-features  
/F512000000 shlw32M.lib -link /FORCE:MULTIPLE
```

## Base Other Flags

C benchmarks:

```
403.gcc: -Dalloca=_alloca
```

## Peak Compiler Invocation

C benchmarks (except as noted below):

```
icl -Qvc10 -Qstd=c99
```

```
456.hmmr: C:\Program Files (x86)\Intel\Composer XE 2013 SP1/bin/intel64/icl.exe
```

```
458.sjeng: C:\Program Files (x86)\Intel\Composer XE 2013 SP1/bin/intel64/icl.exe
```

```
462.libquantum: C:\Program Files (x86)\Intel\Composer XE 2013 SP1/bin/intel64/icl.exe  
-Qstd=c99
```

C++ benchmarks (except as noted below):

```
icl -Qvc10
```

```
473.astar: C:\Program Files (x86)\Intel\Composer XE 2013 SP1/bin/intel64/icl.exe
```

## Peak Portability Flags

```
403.gcc: -DSPEC_CPU_WIN32
```

```
456.hmmr: -DSPEC_CPU_P64
```

```
458.sjeng: -DSPEC_CPU_P64
```

```
462.libquantum: -DSPEC_CPU_P64
```

```
464.h264ref: -DWIN32 -DSPEC_CPU_NO_INTTYPES
```

```
473.astar: -DSPEC_CPU_P64
```

```
483.xalancbmk: -Qoption,cpp,--no_wchar_t_keyword
```



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

**Intel Corporation**

Intel DQ87PG motherboard (Intel Core i5-4670K)

**SPECint\_rate2006 = 161**

**SPECint\_rate\_base2006 = 154**

**CPU2006 license:** 13

**Test sponsor:** Intel Corporation

**Tested by:** Intel Corporation

**Test date:** Jun-2014

**Hardware Availability:** Jul-2013

**Software Availability:** Oct-2013

## Peak Optimization Flags

C benchmarks:

```
400.perlbench: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
               -Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch
               /F512000000 shlw32M.lib           -link /FORCE:MULTIPLE
```

```
401.bzip2: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
            -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qansi-alias
            /F512000000
```

```
403.gcc: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
          -Qipo -O3 -Qprec-div- -Qopt-prefetch /F512000000
```

429.mcf: basepeak = yes

```
445.gobmk: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
            -Qipo -O2 -Qprec-div- -Qansi-alias /F512000000
```

```
456.hmmr: -Qauto-ilp32 -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1)
            -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qopt-prefetch
            /F512000000
```

```
458.sjeng: -Qauto-ilp32 -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1)
            -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qunroll4
            /F512000000
```

```
462.libquantum: -Qauto-ilp32 -QxCORE-AVX2 -Qipo -O3 -Qprec-div-
                -Qopt-prefetch /F512000000
```

464.h264ref: basepeak = yes

C++ benchmarks:

```
471.omnetpp: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
              -Qipo -O3 -Qprec-div- -Qansi-alias
              -Qopt-ra-region-strategy=block /F512000000 shlw32M.lib
              -link /FORCE:MULTIPLE
```

```
473.astar: -Qauto-ilp32 -QxCORE-AVX2 -Qipo -O3 -Qprec-div-
            -Qopt-prefetch /F512000000 shlw64M.lib
            -link /FORCE:MULTIPLE
```

483.xalancbmk: basepeak = yes

## Peak Other Flags

C benchmarks:

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

Intel DQ87PG motherboard (Intel Core i5-4670K)

**SPECint\_rate2006 = 161**

**SPECint\_rate\_base2006 = 154**

**CPU2006 license:** 13

**Test sponsor:** Intel Corporation

**Tested by:** Intel Corporation

**Test date:** Jun-2014

**Hardware Availability:** Jul-2013

**Software Availability:** Oct-2013

## Peak Other Flags (Continued)

403.gcc: -Dalloca=\_alloca

456.hmmer: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2013 SP1/compiler/lib/intel64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib/AMD64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib  
-link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64

458.sjeng: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2013 SP1/compiler/lib/intel64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib/AMD64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib  
-link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64

462.libquantum: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2013 SP1/compiler/lib/intel64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib/AMD64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib  
-link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64

C++ benchmarks:

473.astar: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2013 SP1/compiler/lib/intel64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib/AMD64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib  
-link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic14.0-official-windows.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic14.0-official-windows.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.2.

Report generated on Tue Sep 9 10:56:04 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 15 July 2014.