



SPEC® CFP2006 Result

Copyright 2006-2015 Standard Performance Evaluation Corporation

Hewlett-Packard Company

(Test Sponsor: Intel Corporation)

HP ENVY 15 Notebook PC 15t-j100 (Intel Core i5-4300M)

SPECfp®_rate2006 = 89.9

SPECfp_rate_base2006 = 86.9

CPU2006 license: 13


Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Nov-2015

Hardware Availability: May-2014

Software Availability: Aug-2015



SPECfp_rate_base2006 = 86.9

SPECfp_rate2006 = 89.9

Hardware

CPU Name: Intel Core i5-4300M
 CPU Characteristics: Intel Turbo Boost Technology up to 3.30 GHz
 CPU MHz: 2600
 FPU: Integrated
 CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip, 2 threads/core
 CPU(s) orderable: 1 chip
 Primary Cache: 32 KB I + 32 KB D on chip per core
 Secondary Cache: 256 KB I+D on chip per core

Continued on next page

Software

Operating System: Microsoft Windows 10 Pro
 10.0.10240 N/A Build 10240
 Compiler: C/C++: Version 16.0.0.110 of Intel C++ Studio XE for Windows;
 Fortran: Version 16.0.0.110 of Intel Fortran Studio XE for Windows;
 Libraries: Version 18.00.30723 of Microsoft Visual Studio 2013
 Auto Parallel: No

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2015 Standard Performance Evaluation Corporation

Hewlett-Packard Company

(Test Sponsor: Intel Corporation)

HP ENVY 15 Notebook PC 15t-j100 (Intel Core i5-4300M)

SPECfp_rate2006 = 89.9

SPECfp_rate_base2006 = 86.9

CPU2006 license: 13

Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Nov-2015

Hardware Availability: May-2014

Software Availability: Aug-2015

L3 Cache: 3 MB I+D on chip per chip
Other Cache: None
Memory: 8 GB (2 x 4 GB 2Rx4 PC3-12800U-11)
Disk Subsystem: 1 TB HDD, 5400 RPM
Other Hardware: None

File System: NTFS
System State: Default
Base Pointers: 32/64-bit
Peak Pointers: 32/64-bit
Other Software: SmartHeap Library Version 11.0 from <http://www.microquill.com/>

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	4	567	96.0	566	96.0	567	96.0	2	274	99.2	275	98.8	279	97.4
416.gamess	4	1042	75.2	1044	75.2	1041	75.2	4	1042	75.2	1044	75.2	1041	75.2
433.milc	4	371	98.8	371	98.8	371	99.2	4	371	98.8	371	98.8	371	99.2
434.zeusmp	4	368	98.8	371	98.0	367	99.2	4	368	98.8	371	98.0	367	99.2
435.gromacs	4	292	97.6	290	98.4	289	98.8	4	292	97.6	290	98.4	289	98.8
436.cactusADM	4	499	96.0	498	96.0	499	95.6	4	499	96.0	498	96.0	499	95.6
437.leslie3d	4	636	59.2	634	59.2	638	58.8	2	276	68.0	266	70.8	267	70.4
444.namd	4	464	69.2	464	69.2	464	69.2	4	460	69.6	459	70.0	460	69.6
447.dealII	4	411	112	407	112	403	114	4	411	112	407	112	403	114
450.soplex	4	573	58.0	548	60.8	552	60.4	4	573	58.0	548	60.8	552	60.4
453.povray	4	212	100	212	100	212	100	4	174	122	173	123	174	122
454.calculix	4	281	118	280	118	281	118	4	281	118	280	118	281	118
459.GemsFDTD	4	746	56.8	746	56.8	745	57.2	2	353	60.0	353	60.2	353	60.2
465.tonto	4	511	77.2	513	76.8	514	76.4	4	484	81.2	483	81.6	483	81.6
470.lbm	4	490	112	490	112	490	112	2	233	118	233	118	234	118
481.wrf	4	421	106	417	107	418	107	4	421	106	417	107	418	107
482.sphinx3	4	977	80.0	976	80.0	970	80.4	4	977	80.0	976	80.0	970	80.4

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Compiler Invocation Notes

To compile these binaries, the Intel Compiler 16.0 was set up to generate 64-bit binaries with the command:
"psxevars.bat intel64" (shortcut provided in the Intel(r) Parallel Studio XE 2016 program folder)

Submit Notes

Processes were bound to specific processors using the start command with the /affinity switch. The config file option 'submit' was used to generate the affinity mask for each process.



SPEC CFP2006 Result

Copyright 2006-2015 Standard Performance Evaluation Corporation

Hewlett-Packard Company

(Test Sponsor: Intel Corporation)

HP ENVY 15 Notebook PC 15t-j100 (Intel Core i5-4300M)

SPECfp_rate2006 = 89.9

SPECfp_rate_base2006 = 86.9

CPU2006 license: 13

Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Nov-2015

Hardware Availability: May-2014

Software Availability: Aug-2015

Platform Notes

Sysinfo program C:\SPEC16.0/Docs/sysinfo
\$Rev: 6775 \$ \$Date:: 2011-08-16 #\$ \8787f7622badcf24e01c368b1db4377c
running on Clt9CB654C10CA6 Thu Nov 12 16:32:54 2015

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

Trying 'systeminfo'

OS Name : Microsoft Windows 10 Pro
OS Version : 10.0.10240 N/A Build 10240
System Manufacturer: Hewlett-Packard
System Model : HP ENVY 15 Notebook PC
Processor(s) : 1 Processor(s) Installed.
 [01]: Intel64 Family 6 Model 60 Stepping 3 GenuineIntel ~2601 Mhz
BIOS Version : Insyde F.35, 10/3/2013
Total Physical Memory: 8,128 MB

Trying 'wmic cpu get /value'

DeviceID : CPU0
L2CacheSize : 256
L3CacheSize : 3072
MaxClockSpeed : 2601
Name : Intel(R) Core(TM) i5-4300M CPU @ 2.60GHz
NumberOfCores : 2
NumberOfLogicalProcessors: 4

(End of data from sysinfo program)

General Notes

450.soplex (base): "getline_test" src.alt was used.
447.dealII (base): "max_prototype" src.alt was used.
447.dealII (base): "cxx11_make_pair" src.alt was used.
450.soplex (base): "getline_test" src.alt was used.
447.dealII (base): "max_prototype" src.alt was used.
447.dealII (base): "cxx11_make_pair" src.alt was used.

Binaries compiled on a system with 1x Intel Xeon E5-2699 v3 CPU
+ 64GB memory using Windows 8.1 Enterprise 64-bit

Base Compiler Invocation

C benchmarks:
icl -Qvc12 -Qstd=c99

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2015 Standard Performance Evaluation Corporation

Hewlett-Packard Company

(Test Sponsor: Intel Corporation)

HP ENVY 15 Notebook PC 15t-j100 (Intel Core i5-4300M)

SPECfp_rate2006 = 89.9

SPECfp_rate_base2006 = 86.9

CPU2006 license: 13

Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Nov-2015

Hardware Availability: May-2014

Software Availability: Aug-2015

Base Compiler Invocation (Continued)

C++ benchmarks:

icl -Qvc12

Fortran benchmarks:

ifort

Benchmarks using both Fortran and C:

icl -Qvc12 -Qstd=c99 ifort

Base Portability Flags

410.bwaves: -DSPEC_CPU_P64
 416.gamess: -DSPEC_CPU_P64
 433.milc: -DSPEC_CPU_P64
 434.zeusmp: -DSPEC_CPU_P64
 435.gromacs: -DSPEC_CPU_P64
 436.cactusADM: -DSPEC_CPU_P64 /names:lowercase /assume:underscore
 437.leslie3d: -DSPEC_CPU_P64
 444.namd: -DSPEC_CPU_P64 /TP
 447.dealII: -DSPEC_CPU_P64 -DDEAL_II_MEMBER_VAR_SPECIALIZATION_BUG
 -DSPEC_CPU_BOOST_CONFIG_MSC_VER -DSPEC_NEED_ALGORITHM
 450.soplex: -DSPEC_CPU_P64 -DSPEC_GETLINE_TEST
 453.povray: -DSPEC_CPU_P64
 454.calculix: -DSPEC_CPU_P64 -DSPEC_CPU_NOZMODIFIER /names:lowercase
 459.GemsFDTD: -DSPEC_CPU_P64
 465.tonto: -DSPEC_CPU_P64
 470.lbm: -DSPEC_CPU_P64
 481.wrf: -DSPEC_CPU_P64 -DSPEC_CPU_WINDOWS_ICL
 482.sphinx3: -DSPEC_CPU_P64

Base Optimization Flags

C benchmarks:

-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch
-Qauto-ilp32 /F1000000000 shlw64M.lib -link /FORCE:MULTIPLE

C++ benchmarks:

-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch
-Qcxx-features -Qauto-ilp32 /F1000000000 shlw64M.lib
-link /FORCE:MULTIPLE

Fortran benchmarks:

-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch
/F1000000000 shlw64M.lib -link /FORCE:MULTIPLE

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2015 Standard Performance Evaluation Corporation

Hewlett-Packard Company

(Test Sponsor: Intel Corporation)

HP ENVY 15 Notebook PC 15t-j100 (Intel Core i5-4300M)

SPECfp_rate2006 = 89.9

SPECfp_rate_base2006 = 86.9

CPU2006 license: 13

Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Nov-2015

Hardware Availability: May-2014

Software Availability: Aug-2015

Base Optimization Flags (Continued)

Benchmarks using both Fortran and C:

`-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch
-Qauto-ilp32 /F1000000000 sh1W64M.lib -link /FORCE:MULTIPLE`

Peak Compiler Invocation

C benchmarks:

`icl -Qvc12 -Qstd=c99`

C++ benchmarks:

`icl -Qvc12`

Fortran benchmarks:

`ifort`

Benchmarks using both Fortran and C:

`icl -Qvc12 -Qstd=c99 ifort`

Peak Portability Flags

Same as Base Portability Flags

Peak Optimization Flags

C benchmarks:

433.milc: basepeak = yes

470.lbm: `-QxCORE-AVX2 -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo
-O3 -Qprec-div- -Qansi-alias -Qopt-prefetch -Qauto-ilp32
/F1000000000 sh1W64M.lib -link /FORCE:MULTIPLE`

482.sphinx3: basepeak = yes

C++ benchmarks:

444.namd: `-QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
-Qipo -O3 -Qprec-div- -Oa -Qauto-ilp32 /F1000000000
sh1W64M.lib -link /FORCE:MULTIPLE`

447.dealIII: basepeak = yes

450.soplex: basepeak = yes

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2015 Standard Performance Evaluation Corporation

Hewlett-Packard Company

(Test Sponsor: Intel Corporation)

HP ENVY 15 Notebook PC 15t-j100 (Intel Core i5-4300M)

SPECfp_rate2006 = 89.9

SPECfp_rate_base2006 = 86.9

CPU2006 license: 13

Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Nov-2015

Hardware Availability: May-2014

Software Availability: Aug-2015

Peak Optimization Flags (Continued)

```
453.povray: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
-Qipo -O3 -Qprec-div- -Qopt-prefetch -Qauto-ilp32
/F1000000000 sh1W64M.lib -link /FORCE:MULTIPLE
```

Fortran benchmarks:

```
410.bwaves: -QxCORE-AVX2 -Qprof_gen(pass 1) -Qprof_use(pass 2) -Qipo
-O3 -Qprec-div- -Qansi-alias -Qopt-prefetch /F1000000000
sh1W64M.lib -link /FORCE:MULTIPLE
```

416.gamess: basepeak = yes

434.zeusmp: basepeak = yes

437.leslie3d: Same as 410.bwaves

459.GemsFDTD: Same as 410.bwaves

```
465.tonto: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
-Qipo -O3 -Qprec-div- -Qunroll4 -Qauto /F1000000000
sh1W64M.lib -link /FORCE:MULTIPLE
```

Benchmarks using both Fortran and C:

435.gromacs: basepeak = yes

436.cactusADM: basepeak = yes

454.calculix: basepeak = yes

481.wrf: basepeak = yes

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic16.0-official-windows.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic16.0-official-windows.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.2.

Report generated on Tue Dec 15 16:46:40 2015 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 15 December 2015.